



# TownGuide Performer – Designed around your needs

## TownGuide Performer

The TownGuide Performer family consists of six recognizable yet modern shapes: Flat Cone, Bowl, Classic Cone, Classic, T and Tzero. All are available with a clear bowl. Except for Tzero, also a frosted bowl can be chosen. With an extensive range of lumen packages and a choice of light colors and operating lifetimes, it is easy to select the version that best suits your project's specific requirements. In addition, TownGuide Performer has a variety of control system options that can make it an integral part of your smart energy-reduction programs – from stand-alone LumiStep and DynaDimmer, SDU switch-dim control, through to seamless remote connectivity with CityTouch lighting management software. Installation is easy. Thanks to the bayonet whistle connector with integrated gland located in the spigot, the luminaire does not have to be opened at all for installation. Philips has made every effort to make the Total Cost of Ownership (TCO) of the luminaire as attractive as possible. And as TownGuide Performer is a dedicated LED luminaire, compatible with a variety of control systems, the energy and maintenance cost savings compared to conventional lighting are significant.

### Benefits

- Six recognizable yet modern designs that blend in with, and enhance, their surroundings
- LED light sources, in combination with a wide choice of optics, ensure that the optimal configuration can be obtained for your application. The state-of-the-art LEDs increase visual comfort for motorists, cyclists and pedestrians.
- Considerable reduction in energy usage and carbon footprint compared to HPL mercury, SON-T and PL-L compact fluorescent lamps; further energy savings achievable when using CLO or dimming options (can amount to as much as 80% compared to HPL mercury)

# TownGuide Performer

## Features

- Dedicated LED luminaire, optimized for minimum Total Cost of Ownership
- Wide choice of lumen packages, ranging from 1,200 to 7,000 lumens (GRN) or 4,000 to 12,000 lumens (ECO)
- Choice of light colors 3000 K (warm white) and 4000 K (neutral white)
- Long lifetime of 100,000 hours (GRN) or 80,000 hours (ECO) at L80B10
- Bayonet whistle connector for easy installation without opening the luminaire
- Suitable for new installations or one-to-one replacement in existing installations
- Vandal-resistant (IK10), ingress protection (IP66)
- TailorFit PCB technology
- Standard 3-year warranty program; as a service, we offer extended warranties or lifecycle services

## Application

- Residential areas: residential streets, cycle paths & footpaths, roundabouts, squares, parks & playgrounds, parking areas
- City centers: side streets, squares, parks & playgrounds, cycle paths & footpaths, parking areas, roundabouts, shopping & pedestrian areas
- Area and Transportation: industrial areas, parking areas, petrol stations, airports, harbors, public transport areas
- Sports: parking areas

## Specifications

<b>Type</b>	BDP100 (flat cone version)
	BDP101 (bowl version)
	BDP102 (classic cone version)
	BDP103 (classic T version)
	BDP104 (T version)
	BDP105 (Tzero version)
<b>Light source</b>	Integral LED-module
<b>Power</b>	10 to 98 W depending on LED configuration and color temperature
<b>Luminous flux</b>	GreenLine: 1200, 1500, 2000, 2500, 3000, 3500, 4000, 5000, 6000 or 7000 lm
	EconomyLine: 4000, 5000, 6000, 7000, 8000, 9000, 10000, 11000 or 12000 lm
<b>Luminaire efficacy</b>	GreenLine: 84 to 112 lm/W (for clear bowl; 4000 K version)
	EconomyLine: 93 to 108 lm/W (for clear bowl; 4000 K version)
<b>Correlated Color</b>	3000 K (warm white)
<b>Temperature</b>	4000 K (neutral white)

<b>Color Rendering Index</b>	≥ 80
<b>Lumen maintenance at median useful life*</b>	up to L98
<b>100000 h</b>	
<b>Control gear failure rate at median useful life</b>	10%
<b>100000 h</b>	
<b>Performance Ambient Temperature Tq</b>	+25 °C
<b>Operating temperature range</b>	-20 to +35 °C
<b>Driver</b>	Integrated programmable LED driver
<b>Power/Data supply</b>	Philips Xitanium Prog+
<b>Mains voltage</b>	120-277 V / 50-60 Hz

## Specifications

<b>Controls system input</b>	1-10 V or DALI
<b>Dimming</b>	SDU-LineSwitch
	DynaDimmer
	LumiStep

<b>Options</b>	Constant light output (CLO), also possible in combination with dimming
	Starsense RF OLC
	Mains dimming (AmpDim)
	CityTouch LightWave
	Class II version
	Mini photocell or NEMA socket
	10 kV surge protection (SRG)

# TownGuide Performer

	Factory fitted cable (H07RN-F-1 mm), 4, 5 or 6 meter exterior length
<b>Optic</b>	Distribution residential wide (DRW), wide (DW), narrow (DN), medium (DM) or symmetrical (DS)
<b>Optical cover</b>	Polycarbonate cover clear (PCC) or frosted (PCF)
<b>Material</b>	Canopy and spigot: high-pressure die-cast aluminum Cover: impact resistant UV stabilized polycarbonate
<b>Color</b>	Silver grey (RAL9006), grey aluminium (RAL9007), black (RAL9005) or light grey (RAL7035) Other RAL or AKZO Futura colors available on request
<b>Connection</b>	Bayonet whistle connector with integrated M20 gland
<b>Maintenance</b>	Maintenance in (local) workshop only
<b>Installation</b>	Post-top mounting: axial entry Ø 48-76 mm (48P, 62P or 76P) Recommended mounting height: 4-6 m Max SCx: BDP100 (flat cone): 0.051 m <sup>2</sup> BDP101 (bowl): 0.095 m <sup>2</sup> BDP102 (classic cone): 0.088 m <sup>2</sup> BDP103 (classic T): 0.093 m <sup>2</sup> BDP104 (T): 0.053 m <sup>2</sup> BDP105 (Tzero): 0.053 m <sup>2</sup>

<b>Cable gland</b>	M20, cable Ø 6-12 mm
<b>Accessories</b>	Special adapter for post top Ø 90 mm (in combination with Ø 62 mm spigot) Spigot size reduction adapter from Ø 76 mm to Ø 60 mm post top mounting

## Versions



**TownGuide Performer BDP100**  
pedestian luminaire with clear bowl



**TownGuide Performer BDP100**  
pedestian luminaire with frosted bowl



**TownGuide Performer BDP101**  
pedestian luminaire with clear bowl



**TownGuide Performer BDP101**  
pedestian luminaire with frosted bowl

# TownGuide Performer

## Versions



TownGuide Performer BDP102  
pedestrian luminaire with clear  
bowl



TownGuide Performer BDP102  
pedestrian luminaire with frosted  
bowl



TownGuide Performer BDP104  
pedestrian luminaire with clear  
bowl



TownGuide Performer BDP104  
pedestrian luminaire with frosted  
bowl



TownGuide Performer BDP103  
pedestrian luminaire with frosted  
bowl

## Product details



OPDP\_BDP100i\_0011-Detail  
photo



OPDP\_BDP100i\_0001-Detail  
photo

# TownGuide Performer

## Product details

OPDP\_BDP100i\_0003-Detail  
photo



TownGuide\_Performe-  
BDP100\_105-DPP.TIF



-	
Driver failure rate at 5000 h	0.5 %
<b>Approval and Application</b>	
Mech. impact protection code	IK10
<b>General Information</b>	
CE mark	CE mark
Driver included	Yes
Flammability mark	NO
Light source replaceable	Yes
Number of gear units	1 unit
Service tag	Yes
<b>Light Technical</b>	
Standard tilt angle side entry	-
Standard tilt angle posttop	0°

## Application Conditions

Order Code	Full Product Name	Maximum dim level
90608700	BDP100 LED30/740 DN PCC SI CLO-LS-6 76P	50%
90609400	BDP100 LED40/830 II DM PCC SI CLO-LS-6 6	50%
90996500	BDP100 LED40/740 II DW PCC SI LS-6 62P	50%
90997200	BDP100 LED50/740 II DW PCC SI LS-6 62P	50%
90998900	BDP100 LED60/740 II DW PCC SI LS-6 62P	50%
91002200	BDP100 LED40/740 II DS PCC SI LS-6 62P	50%
91003900	BDP100 LED50/740 II DS PCC SI LS-6 62P	50%
91004600	BDP100 LED60/740 II DS PCC SI LS-6 62P	50%
91008400	BDP100 LED40/830 II DW PCC SI LS-6 62P	50%
91009100	BDP100 LED50/830 II DW PCC SI LS-6 62P	50%
91010700	BDP100 LED60/830 II DW PCC SI LS-6 62P	50%
91014500	BDP100 LED40/830 II DS PCC SI LS-6 62P	50%
91015200	BDP100 LED50/830 II DS PCC SI LS-6 62P	50%
91016900	BDP100 LED60/830 II DS PCC SI LS-6 62P	50%
30244600	BDP100 LED30/740 DM PCC SI CLO-DDF1 76P	50%
90973600	BDP100 LED50/740 II DW PCC GR 62P	Not applicable
90979800	BDP100 LED50/740 II DS PCC GR 62P	Not applicable
90986600	BDP100 LED70/830 II DW PCC GR 62P	Not applicable
90992700	BDP100 LED70/830 II DS PCC GR 62P	Not applicable
12880400	BDP100 LED120/740 II DRW PCC GR-900 D11	50%
90610000	BDP100 LED50/830 II DS PCF SI CLO-LS-6 6	50%
90999600	BDP100 LED40/740 II DW PCF SI LS-6 62P	50%
91000800	BDP100 LED50/740 II DW PCF SI LS-6 62P	50%
91001500	BDP100 LED60/740 II DW PCF SI LS-6 62P	50%
91005300	BDP100 LED40/740 II DS PCF SI LS-6 62P	50%

Order Code	Full Product Name	Maximum dim level
91006000	BDP100 LED50/740 II DS PCF SI LS-6 62P	50%
91007700	BDP100 LED60/740 II DS PCF SI LS-6 62P	50%
91011400	BDP100 LED40/830 II DW PCF SI LS-6 62P	50%
91012100	BDP100 LED50/830 II DW PCF SI LS-6 62P	50%
91013800	BDP100 LED60/830 II DW PCF SI LS-6 62P	50%
91017600	BDP100 LED40/830 II DS PCF SI LS-6 62P	50%
91018300	BDP100 LED50/830 II DS PCF SI LS-6 62P	50%
91019000	BDP100 LED60/830 II DS PCF SI LS-6 62P	50%
91051000	BDP100 LED20/830 DW PCF SI CLO 62P	Not applicable
91054100	BDP100 LED50/830 DW PCF SI CLO 62P	Not applicable
91056500	BDP100 LED100/830 DW PCF SI CLO 62P	Not applicable
91958200	BDP100 LED50/740 DW PCF SI 62P	Not applicable
90603200	BDP100 LED50/830 II DS PCF GR 62P	Not applicable
90981100	BDP100 LED30/740 II DS PCF GR 62P	Not applicable
90982800	BDP100 LED50/740 II DS PCF GR 62P	Not applicable
90983500	BDP100 LED70/740 II DS PCF GR 62P	Not applicable
90995800	BDP100 LED70/830 II DS PCF GR 62P	Not applicable
91044200	BDP100 LED20/830 DS PCF GR 62P	Not applicable
91045900	BDP100 LED30/830 DS PCF GR 62P	Not applicable
91046600	BDP100 LED40/830 DS PCF GR 62P	Not applicable
90613100	BDP101 LED60/830 II DM PCC SI CLO-DDF2 6	50%
34534100	BDP101 LED40/740 II DS PCC GR MSP 62P	Not applicable
90614800	BDP101 LED60/830 II DS PCF SI CLO-DDF2 6	50%
91060200	BDP101 LED30/830 DW PCF SI CLO 62P	Not applicable
91061900	BDP101 LED35/830 DW PCF SI CLO 62P	Not applicable
91064000	BDP101 LED100/830 DW PCF SI CLO 62P	Not applicable
90606300	BDP101 LED50/830 II DS PCF GR 62P	Not applicable
90620900	BDP102 LED40/830 II DW PCC SI CLO-DDF1 6	50%
91020600	BDP102 LED40/740 II DW PCC SI LS-6 62P	50%
91021300	BDP102 LED50/740 II DW PCC SI LS-6 62P	50%
91022000	BDP102 LED60/740 II DW PCC SI LS-6 62P	50%
91026800	BDP102 LED40/740 II DS PCC SI LS-6 62P	50%
91027500	BDP102 LED50/740 II DS PCC SI LS-6 62P	50%
91028200	BDP102 LED60/740 II DS PCC SI LS-6 62P	50%
91032900	BDP102 LED40/830 II DW PCC SI LS-6 62P	50%
91033600	BDP102 LED50/830 II DW PCC SI LS-6 62P	50%
91034300	BDP102 LED60/830 II DW PCC SI LS-6 62P	50%
91038100	BDP102 LED40/830 II DS PCC SI LS-6 62P	50%
91039800	BDP102 LED50/830 II DS PCC SI LS-6 62P	50%
91040400	BDP102 LED60/830 II DS PCC SI LS-6 62P	50%
90622300	BDP102 LED50/830 II DS PCF SI CLO-DDF1 6	50%
91023700	BDP102 LED40/740 II DW PCF SI LS-6 62P	50%
91024400	BDP102 LED50/740 II DW PCF SI LS-6 62P	50%
91025100	BDP102 LED60/740 II DW PCF SI LS-6 62P	50%
91029900	BDP102 LED40/740 II DS PCF SI LS-6 62P	50%
91030500	BDP102 LED50/740 II DS PCF SI LS-6 62P	50%
91031200	BDP102 LED60/740 II DS PCF SI LS-6 62P	50%
91035000	BDP102 LED40/830 II DW PCF SI LS-6 62P	50%
91036700	BDP102 LED50/830 II DW PCF SI LS-6 62P	50%
91037400	BDP102 LED60/830 II DW PCF SI LS-6 62P	50%
91041100	BDP102 LED40/830 II DS PCF SI LS-6 62P	50%
91042800	BDP102 LED50/830 II DS PCF SI LS-6 62P	50%

Order Code	Full Product Name	Maximum dim level
91043500	BDP102 LED60/830 II DS PCF SI LS-6 62P	50%
91067100	BDP102 LED20/830 DW PCF SI CLO 62P	Not applicable
91068800	BDP102 LED30/830 DW PCF SI CLO 62P	Not applicable
91069500	BDP102 LED35/830 DW PCF SI CLO 62P	Not applicable
91070100	BDP102 LED50/830 DW PCF SI CLO 62P	Not applicable
91071800	BDP102 LED70/830 DW PCF SI CLO 62P	Not applicable
90623000	BDP104 LED30/740 II DM PCC SI CLO-LS-8 6	50%
90624700	BDP104 LED40/830 II DS PCF SI CLO-LS-8 6	50%
91086200	BDP104 LED50/830 DW PCF SI CLO 62P	Not applicable
91088600	BDP104 LED100/830 DW PCF SI CLO 62P	Not applicable
91075600	BDP103 LED20/830 DW PCF SI CLO 62P	Not applicable
91077000	BDP103 LED35/830 DW PCF SI CLO 62P	Not applicable
91078700	BDP103 LED50/830 DW PCF SI CLO 62P	Not applicable
91081700	BDP103 LED120/830 DW PCF SI CLO 62P	Not applicable

**Approval and Application**

Order Code	Full Product Name	Surge Protection (Common/Differential)	Order Code	Full Product Name	Surge Protection (Common/Differential)
90608700	BDP100 LED30/740 DN PCC SI CLO-LS-6 76P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	90986600	BDP100 LED70/830 II DW PCC GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
90609400	BDP100 LED40/830 II DM PCC SI CLO-LS-6 6	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	90992700	BDP100 LED70/830 II DS PCC GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
90996500	BDP100 LED40/740 II DW PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	12880400	BDP100 LED120/740 II DRW PCC GR-900 D11	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
90997200	BDP100 LED50/740 II DW PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	90610000	BDP100 LED50/830 II DS PCF SI CLO-LS-6 6	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
90998900	BDP100 LED60/740 II DW PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	90999600	BDP100 LED40/740 II DW PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
91002200	BDP100 LED40/740 II DS PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91000800	BDP100 LED50/740 II DW PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
91003900	BDP100 LED50/740 II DS PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91001500	BDP100 LED60/740 II DW PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
91004600	BDP100 LED60/740 II DS PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91005300	BDP100 LED40/740 II DS PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
91008400	BDP100 LED40/830 II DW PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91006000	BDP100 LED50/740 II DS PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
91009100	BDP100 LED50/830 II DW PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91007700	BDP100 LED60/740 II DS PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
91010700	BDP100 LED60/830 II DW PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91011400	BDP100 LED40/830 II DW PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
91014500	BDP100 LED40/830 II DS PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91012100	BDP100 LED50/830 II DW PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
91015200	BDP100 LED50/830 II DS PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91013800	BDP100 LED60/830 II DW PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
91016900	BDP100 LED60/830 II DS PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91017600	BDP100 LED40/830 II DS PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
30244600	BDP100 LED30/740 DM PCC SI CLO-DDF1 76P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91018300	BDP100 LED50/830 II DS PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
90973600	BDP100 LED50/740 II DW PCC GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91019000	BDP100 LED60/830 II DS PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
90979800	BDP100 LED50/740 II DS PCC GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91051000	BDP100 LED20/830 DW PCF SI CLO 62P	Luminaire surge protection level until 4 kV differential mode and 4 kV common mode

## TownGuide Performer

Order Code	Full Product Name	Surge Protection (Common/Differential)	Order Code	Full Product Name	Surge Protection (Common/Differential)
91054100	BDP100 LED50/830 DW PCF SI CLO 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91033600	BDP102 LED50/830 II DW PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
91056500	BDP100 LED100/830 DW PCF SI CLO 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91034300	BDP102 LED60/830 II DW PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
91958200	BDP100 LED50/740 DW PCF SI 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91038100	BDP102 LED40/830 II DS PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
90603200	BDP100 LED50/830 II DS PCF GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91039800	BDP102 LED50/830 II DS PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
90981100	BDP100 LED30/740 II DS PCF GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91040400	BDP102 LED60/830 II DS PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
90982800	BDP100 LED50/740 II DS PCF GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	90622300	BDP102 LED50/830 II DS PCF SI CLO-DDF1 6	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
90983500	BDP100 LED70/740 II DS PCF GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91023700	BDP102 LED40/740 II DW PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
90995800	BDP100 LED70/830 II DS PCF GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91024400	BDP102 LED50/740 II DW PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
91044200	BDP100 LED20/830 DS PCF GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91025100	BDP102 LED60/740 II DW PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
91045900	BDP100 LED30/830 DS PCF GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91029900	BDP102 LED40/740 II DS PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
91046600	BDP100 LED40/830 DS PCF GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91030500	BDP102 LED50/740 II DS PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
90613100	BDP101 LED60/830 II DM PCC SI CLO-DDF2 6	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91031200	BDP102 LED60/740 II DS PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
34534100	BDP101 LED40/740 II DS PCC GR MSP 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91035000	BDP102 LED40/830 II DW PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
90614800	BDP101 LED60/830 II DS PCF SI CLO-DDF2 6	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91036700	BDP102 LED50/830 II DW PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
91060200	BDP101 LED30/830 DW PCF SI CLO 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91037400	BDP102 LED60/830 II DW PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
91061900	BDP101 LED35/830 DW PCF SI CLO 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91041100	BDP102 LED40/830 II DS PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
91064000	BDP101 LED100/830 DW PCF SI CLO 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91042800	BDP102 LED50/830 II DS PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
90606300	BDP101 LED50/830 II DS PCF GR 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91043500	BDP102 LED60/830 II DS PCF SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
90620900	BDP102 LED40/830 II DW PCC SI CLO-DDF1 6	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91067100	BDP102 LED20/830 DW PCF SI CLO 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
91020600	BDP102 LED40/740 II DW PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91068800	BDP102 LED30/830 DW PCF SI CLO 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
91021300	BDP102 LED50/740 II DW PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91069500	BDP102 LED35/830 DW PCF SI CLO 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
91022000	BDP102 LED60/740 II DW PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91070100	BDP102 LED50/830 DW PCF SI CLO 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
91026800	BDP102 LED40/740 II DS PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91071800	BDP102 LED70/830 DW PCF SI CLO 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
91027500	BDP102 LED50/740 II DS PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	90623000	BDP104 LED30/740 II DM PCC SI CLO-LS-8 6	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
91028200	BDP102 LED60/740 II DS PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	90624700	BDP104 LED40/830 II DS PCF SI CLO-LS-8 6	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
91032900	BDP102 LED40/830 II DW PCC SI LS-6 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode	91086200	BDP104 LED50/830 DW PCF SI CLO 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode



## TownGuide Performer

Order Code	Full Product Name	Surge Protection (Common/Differential)
91088600	BDP104 LED100/830 DW PCF SI CLO 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
91075600	BDP103 LED20/830 DW PCF SI CLO 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
91077000	BDP103 LED35/830 DW PCF SI CLO 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode

Order Code	Full Product Name	Surge Protection (Common/Differential)
91078700	BDP103 LED50/830 DW PCF SI CLO 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode
91081700	BDP103 LED120/830 DW PCF SI CLO 62P	Luminaire surge protection level until 6 kV differential mode and 6 kV common mode

### Controls and Dimming

Order Code	Full Product Name	Dimmable
90608700	BDP100 LED30/740 DN PCC SI CLO-LS-6 76P	Yes
90609400	BDP100 LED40/830 II DM PCC SI CLO-LS-6 6	Yes
90996500	BDP100 LED40/740 II DW PCC SI LS-6 62P	Yes
90997200	BDP100 LED50/740 II DW PCC SI LS-6 62P	Yes
90998900	BDP100 LED60/740 II DW PCC SI LS-6 62P	Yes
91002200	BDP100 LED40/740 II DS PCC SI LS-6 62P	Yes
91003900	BDP100 LED50/740 II DS PCC SI LS-6 62P	Yes
91004600	BDP100 LED60/740 II DS PCC SI LS-6 62P	Yes
91008400	BDP100 LED40/830 II DW PCC SI LS-6 62P	Yes
91009100	BDP100 LED50/830 II DW PCC SI LS-6 62P	Yes
91010700	BDP100 LED60/830 II DW PCC SI LS-6 62P	Yes
91014500	BDP100 LED40/830 II DS PCC SI LS-6 62P	Yes
91015200	BDP100 LED50/830 II DS PCC SI LS-6 62P	Yes
91016900	BDP100 LED60/830 II DS PCC SI LS-6 62P	Yes
30244600	BDP100 LED30/740 DM PCC SI CLO-DDF1 76P	Yes
90973600	BDP100 LED50/740 II DW PCC GR 62P	No
90979800	BDP100 LED50/740 II DS PCC GR 62P	No
90986600	BDP100 LED70/830 II DW PCC GR 62P	No
90992700	BDP100 LED70/830 II DS PCC GR 62P	No
12880400	BDP100 LED120/740 II DRW PCC GR-900 D11	Yes
90610000	BDP100 LED50/830 II DS PCF SI CLO-LS-6 6	Yes
90999600	BDP100 LED40/740 II DW PCF SI LS-6 62P	Yes
91000800	BDP100 LED50/740 II DW PCF SI LS-6 62P	Yes
91001500	BDP100 LED60/740 II DW PCF SI LS-6 62P	Yes
91005300	BDP100 LED40/740 II DS PCF SI LS-6 62P	Yes
91006000	BDP100 LED50/740 II DS PCF SI LS-6 62P	Yes
91007700	BDP100 LED60/740 II DS PCF SI LS-6 62P	Yes
91011400	BDP100 LED40/830 II DW PCF SI LS-6 62P	Yes
91012100	BDP100 LED50/830 II DW PCF SI LS-6 62P	Yes
91013800	BDP100 LED60/830 II DW PCF SI LS-6 62P	Yes
91017600	BDP100 LED40/830 II DS PCF SI LS-6 62P	Yes
91018300	BDP100 LED50/830 II DS PCF SI LS-6 62P	Yes
91019000	BDP100 LED60/830 II DS PCF SI LS-6 62P	Yes
91051000	BDP100 LED20/830 DW PCF SI CLO 62P	No
91054100	BDP100 LED50/830 DW PCF SI CLO 62P	No
91056500	BDP100 LED100/830 DW PCF SI CLO 62P	No
91958200	BDP100 LED50/740 DW PCF SI 62P	No
90603200	BDP100 LED50/830 II DS PCF GR 62P	No
90981100	BDP100 LED30/740 II DS PCF GR 62P	No
90982800	BDP100 LED50/740 II DS PCF GR 62P	No
90983500	BDP100 LED70/740 II DS PCF GR 62P	No
90995800	BDP100 LED70/830 II DS PCF GR 62P	No

Order Code	Full Product Name	Dimmable
91044200	BDP100 LED20/830 DS PCF GR 62P	No
91045900	BDP100 LED30/830 DS PCF GR 62P	No
91046600	BDP100 LED40/830 DS PCF GR 62P	No
90613100	BDP101 LED60/830 II DM PCC SI CLO-DDF2 6	Yes
34534100	BDP101 LED40/740 II DS PCC GR MSP 62P	No
90614800	BDP101 LED60/830 II DS PCF SI CLO-DDF2 6	Yes
91060200	BDP101 LED30/830 DW PCF SI CLO 62P	No
91061900	BDP101 LED35/830 DW PCF SI CLO 62P	No
91064000	BDP101 LED100/830 DW PCF SI CLO 62P	No
90606300	BDP101 LED50/830 II DS PCF GR 62P	No
90620900	BDP102 LED40/830 II DW PCC SI CLO-DDF1 6	Yes
91020600	BDP102 LED40/740 II DW PCC SI LS-6 62P	Yes
91021300	BDP102 LED50/740 II DW PCC SI LS-6 62P	Yes
91022000	BDP102 LED60/740 II DW PCC SI LS-6 62P	Yes
91026800	BDP102 LED40/740 II DS PCC SI LS-6 62P	Yes
91027500	BDP102 LED50/740 II DS PCC SI LS-6 62P	Yes
91028200	BDP102 LED60/740 II DS PCC SI LS-6 62P	Yes
91032900	BDP102 LED40/830 II DW PCC SI LS-6 62P	Yes
91033600	BDP102 LED50/830 II DW PCC SI LS-6 62P	Yes
91034300	BDP102 LED60/830 II DW PCC SI LS-6 62P	Yes
91038100	BDP102 LED40/830 II DS PCC SI LS-6 62P	Yes
91039800	BDP102 LED50/830 II DS PCC SI LS-6 62P	Yes
91040400	BDP102 LED60/830 II DS PCC SI LS-6 62P	Yes
90622300	BDP102 LED50/830 II DS PCF SI CLO-DDF1 6	Yes
91023700	BDP102 LED40/740 II DW PCF SI LS-6 62P	Yes
91024400	BDP102 LED50/740 II DW PCF SI LS-6 62P	Yes
91025100	BDP102 LED60/740 II DW PCF SI LS-6 62P	Yes
91029900	BDP102 LED40/740 II DS PCF SI LS-6 62P	Yes
91030500	BDP102 LED50/740 II DS PCF SI LS-6 62P	Yes
91031200	BDP102 LED60/740 II DS PCF SI LS-6 62P	Yes
91035000	BDP102 LED40/830 II DW PCF SI LS-6 62P	Yes
91036700	BDP102 LED50/830 II DW PCF SI LS-6 62P	Yes
91037400	BDP102 LED60/830 II DW PCF SI LS-6 62P	Yes
91041100	BDP102 LED40/830 II DS PCF SI LS-6 62P	Yes
91042800	BDP102 LED50/830 II DS PCF SI LS-6 62P	Yes
91043500	BDP102 LED60/830 II DS PCF SI LS-6 62P	Yes
91067100	BDP102 LED20/830 DW PCF SI CLO 62P	No
91068800	BDP102 LED30/830 DW PCF SI CLO 62P	No
91069500	BDP102 LED35/830 DW PCF SI CLO 62P	No
91070100	BDP102 LED50/830 DW PCF SI CLO 62P	No
91071800	BDP102 LED70/830 DW PCF SI CLO 62P	No
90623000	BDP104 LED30/740 II DM PCC SI CLO-LS-8 6	Yes

## TownGuide Performer

Order Code	Full Product Name	Dimmable
90624700	BDP104 LED40/830 II DS PCF SI CLO-LS-8 6	Yes
91086200	BDP104 LED50/830 DW PCF SI CLO 62P	No
91088600	BDP104 LED100/830 DW PCF SI CLO 62P	No
91075600	BDP103 LED20/830 DW PCF SI CLO 62P	No

Order Code	Full Product Name	Dimmable
91077000	BDP103 LED35/830 DW PCF SI CLO 62P	No
91078700	BDP103 LED50/830 DW PCF SI CLO 62P	No
91081700	BDP103 LED120/830 DW PCF SI CLO 62P	No

### General Information (1/2)

Order Code	Full Product Name	Luminaire light beam			Light source color
		spread	Parts color	Coating	
90608700	BDP100 LED30/740 DN PCC SI CLO-LS-6 76P	32° x 29°	All parts colored	-	740 neutral white
90609400	BDP100 LED40/830 II DM PCC SI CLO-LS-6 6	53° x 71°	All parts colored	-	830 warm white
90996500	BDP100 LED40/740 II DW PCC SI LS-6 62P	50° x 70°	All parts colored	-	740 neutral white
90997200	BDP100 LED50/740 II DW PCC SI LS-6 62P	50° x 70°	All parts colored	-	740 neutral white
90998900	BDP100 LED60/740 II DW PCC SI LS-6 62P	50° x 70°	All parts colored	-	740 neutral white
91002200	BDP100 LED40/740 II DS PCC SI LS-6 62P	75°	All parts colored	-	740 neutral white
91003900	BDP100 LED50/740 II DS PCC SI LS-6 62P	75°	All parts colored	-	740 neutral white
91004600	BDP100 LED60/740 II DS PCC SI LS-6 62P	75°	All parts colored	-	740 neutral white
91008400	BDP100 LED40/830 II DW PCC SI LS-6 62P	50° x 70°	All parts colored	-	830 warm white
91009100	BDP100 LED50/830 II DW PCC SI LS-6 62P	50° x 70°	All parts colored	-	830 warm white
91010700	BDP100 LED60/830 II DW PCC SI LS-6 62P	50° x 70°	All parts colored	-	830 warm white
91014500	BDP100 LED40/830 II DS PCC SI LS-6 62P	75°	All parts colored	-	830 warm white
91015200	BDP100 LED50/830 II DS PCC SI LS-6 62P	75°	All parts colored	-	830 warm white
91016900	BDP100 LED60/830 II DS PCC SI LS-6 62P	75°	All parts colored	-	830 warm white
30244600	BDP100 LED30/740 DM PCC SI CLO-DDF1 76P	53° x 71°	All parts colored	-	740 neutral white
90973600	BDP100 LED50/740 II DW PCC GR 62P	50° x 70°	-	-	740 neutral white
90979800	BDP100 LED50/740 II DS PCC GR 62P	75°	-	-	740 neutral white
90986600	BDP100 LED70/830 II DW PCC GR 62P	50° x 70°	-	-	830 warm white
90992700	BDP100 LED70/830 II DS PCC GR 62P	75°	-	-	830 warm white
12880400	BDP100 LED120/740 II DRW PCC GR-900 D11	39° x 96°	-	-	740 neutral white
90610000	BDP100 LED50/830 II DS PCF SI CLO-LS-6 6	75°	All parts colored	-	830 warm white

Order Code	Full Product Name	Luminaire light beam			Light source color
		spread	Parts color	Coating	
90999600	BDP100 LED40/740 II DW PCF SI LS-6 62P	50° x 70°	All parts colored	-	740 neutral white
91000800	BDP100 LED50/740 II DW PCF SI LS-6 62P	50° x 70°	All parts colored	-	740 neutral white
91001500	BDP100 LED60/740 II DW PCF SI LS-6 62P	50° x 70°	All parts colored	-	740 neutral white
91005300	BDP100 LED40/740 II DS PCF SI LS-6 62P	75°	All parts colored	-	740 neutral white
91006000	BDP100 LED50/740 II DS PCF SI LS-6 62P	75°	All parts colored	-	740 neutral white
91007700	BDP100 LED60/740 II DS PCF SI LS-6 62P	75°	All parts colored	-	840 neutral white
91011400	BDP100 LED40/830 II DW PCF SI LS-6 62P	50° x 70°	All parts colored	-	830 warm white
91012100	BDP100 LED50/830 II DW PCF SI LS-6 62P	50° x 70°	All parts colored	-	830 warm white
91013800	BDP100 LED60/830 II DW PCF SI LS-6 62P	50° x 70°	All parts colored	-	830 warm white
91017600	BDP100 LED40/830 II DS PCF SI LS-6 62P	75°	All parts colored	-	830 warm white
91018300	BDP100 LED50/830 II DS PCF SI LS-6 62P	75°	All parts colored	-	830 warm white
91019000	BDP100 LED60/830 II DS PCF SI LS-6 62P	75°	All parts colored	-	830 warm white
91051000	BDP100 LED20/830 DW PCF SI CLO 62P	50° x 70°	All parts colored	-	830 warm white
91054100	BDP100 LED50/830 DW PCF SI CLO 62P	50° x 70°	All parts colored	-	830 warm white
91056500	BDP100 LED100/830 DW PCF SI CLO 62P	50° x 70°	All parts colored	-	830 warm white
91958200	BDP100 LED50/740 DW PCF SI 62P	50° x 70°	All parts colored	-	740 neutral white
90603200	BDP100 LED50/830 II DS PCF GR 62P	75°	-	-	830 warm white
90981100	BDP100 LED30/740 II DS PCF GR 62P	75°	-	-	740 neutral white
90982800	BDP100 LED50/740 II DS PCF GR 62P	75°	-	-	740 neutral white
90983500	BDP100 LED70/740 II DS PCF GR 62P	75°	-	-	740 neutral white
90995800	BDP100 LED70/830 II DS PCF GR 62P	75°	-	-	830 warm white

## TownGuide Performer

Order Code	Full Product Name	Luminaire light beam		Light source	
		spread	Parts color	Coating	color
91044200	BDP100 LED20/830 DS PCF GR 62P	75°	-	-	830 warm white
91045900	BDP100 LED30/830 DS PCF GR 62P	75°	-	-	830 warm white
91046600	BDP100 LED40/830 DS PCF GR 62P	75°	-	-	830 warm white
90613100	BDP101 LED60/830 II DM PCC SI CLO-DDF2 6	53° x 71°	All parts colored	-	830 warm white
34534100	BDP101 LED40/740 II DS PCC GR MSP 62P	75°	-	-	740 neutral white
90614800	BDP101 LED60/830 II DS PCF SI CLO-DDF2 6	75°	All parts colored	-	830 warm white
91060200	BDP101 LED30/830 DW PCF SI CLO 62P	50° x 70°	All parts colored	-	830 warm white
91061900	BDP101 LED35/830 DW PCF SI CLO 62P	50° x 70°	All parts colored	-	830 warm white
91064000	BDP101 LED100/830 DW PCF SI CLO 62P	50° x 70°	All parts colored	-	830 warm white
90606300	BDP101 LED50/830 II DS PCF GR 62P	75°	-	-	830 warm white
90620900	BDP102 LED40/830 II DW PCC SI CLO-DDF1 6	50° x 70°	All parts colored	-	830 warm white
91020600	BDP102 LED40/740 II DW PCC SI LS-6 62P	50° x 70°	All parts colored	-	740 neutral white
91021300	BDP102 LED50/740 II DW PCC SI LS-6 62P	50° x 70°	All parts colored	-	740 neutral white
91022000	BDP102 LED60/740 II DW PCC SI LS-6 62P	50° x 70°	All parts colored	-	740 neutral white
91026800	BDP102 LED40/740 II DS PCC SI LS-6 62P	75°	All parts colored	-	740 neutral white
91027500	BDP102 LED50/740 II DS PCC SI LS-6 62P	75°	All parts colored	-	740 neutral white
91028200	BDP102 LED60/740 II DS PCC SI LS-6 62P	75°	All parts colored	-	740 neutral white
91032900	BDP102 LED40/830 II DW PCC SI LS-6 62P	50° x 70°	All parts colored	-	830 warm white
91033600	BDP102 LED50/830 II DW PCC SI LS-6 62P	50° x 70°	All parts colored	-	830 warm white
91034300	BDP102 LED60/830 II DW PCC SI LS-6 62P	50° x 70°	All parts colored	-	830 warm white
91038100	BDP102 LED40/830 II DS PCC SI LS-6 62P	75°	All parts colored	-	830 warm white
91039800	BDP102 LED50/830 II DS PCC SI LS-6 62P	75°	All parts colored	-	830 warm white
91040400	BDP102 LED60/830 II DS PCC SI LS-6 62P	75°	All parts colored	-	830 warm white
90622300	BDP102 LED50/830 II DS PCF SI CLO-DDF1 6	75°	All parts colored	-	830 warm white
91023700	BDP102 LED40/740 II DW PCF SI LS-6 62P	50° x 70°	All parts colored	-	740 neutral white

Order Code	Full Product Name	Luminaire light beam		Light source	
		spread	Parts color	Coating	color
91024400	BDP102 LED50/740 II DW PCF SI LS-6 62P	50° x 70°	All parts colored	-	740 neutral white
91025100	BDP102 LED60/740 II DW PCF SI LS-6 62P	50° x 70°	All parts colored	-	740 neutral white
91029900	BDP102 LED40/740 II DS PCF SI LS-6 62P	75°	All parts colored	-	740 neutral white
91030500	BDP102 LED50/740 II DS PCF SI LS-6 62P	75°	All parts colored	-	740 neutral white
91031200	BDP102 LED60/740 II DS PCF SI LS-6 62P	75°	All parts colored	-	740 neutral white
91035000	BDP102 LED40/830 II DW PCF SI LS-6 62P	50° x 70°	All parts colored	-	830 warm white
91036700	BDP102 LED50/830 II DW PCF SI LS-6 62P	50° x 70°	All parts colored	-	830 warm white
91037400	BDP102 LED60/830 II DW PCF SI LS-6 62P	50° x 70°	All parts colored	-	830 warm white
91041100	BDP102 LED40/830 II DS PCF SI LS-6 62P	75°	All parts colored	-	830 warm white
91042800	BDP102 LED50/830 II DS PCF SI LS-6 62P	75°	All parts colored	-	830 warm white
91043500	BDP102 LED60/830 II DS PCF SI LS-6 62P	75°	All parts colored	-	830 warm white
91067100	BDP102 LED20/830 DW PCF SI CLO 62P	50° x 70°	All parts colored	-	830 warm white
91068800	BDP102 LED30/830 DW PCF SI CLO 62P	50° x 70°	All parts colored	-	830 warm white
91069500	BDP102 LED35/830 DW PCF SI CLO 62P	50° x 70°	All parts colored	-	830 warm white
91070100	BDP102 LED50/830 DW PCF SI CLO 62P	50° x 70°	All parts colored	-	830 warm white
91071800	BDP102 LED70/830 DW PCF SI CLO 62P	50° x 70°	All parts colored	-	830 warm white
90623000	BDP104 LED30/740 II DM PCC SI CLO-LS-8 6	53° x 71°	All parts colored	-	740 neutral white
90624700	BDP104 LED40/830 II DS PCF SI CLO-LS-8 6	75°	All parts colored	-	830 warm white
91086200	BDP104 LED50/830 DW PCF SI CLO 62P	50° x 70°	All parts colored	-	830 warm white
91088600	BDP104 LED100/830 DW PCF SI CLO 62P	50° x 70°	All parts colored	-	830 warm white
91075600	BDP103 LED20/830 DW PCF SI CLO 62P	50° x 70°	All parts colored	-	830 warm white
91077000	BDP103 LED35/830 DW PCF SI CLO 62P	50° x 70°	All parts colored	-	830 warm white
91078700	BDP103 LED50/830 DW PCF SI CLO 62P	50° x 70°	All parts colored	-	830 warm white
91081700	BDP103 LED120/830 DW PCF SI CLO 62P	50° x 70°	All parts colored	-	830 warm white

General Information (2/2)

Order Code	Full Product Name	Optical cover/		Lamp family	Number of light	Product Family	
		lens type	Glow-wire test				code
90608700	BDP100 LED30/740 DN PCC SI CLO-LS-6 76P	PCC	650/5	LED30	4	Distribution narrow	BDP100
90609400	BDP100 LED40/830 II DM PCC SI CLO-LS-6 6	PCC	650/5	LED40	4	Distribution medium	BDP100
90996500	BDP100 LED40/740 II DW PCC SI LS-6 62P	PCC	650/5	LED40	3	Distribution wide	BDP100
90997200	BDP100 LED50/740 II DW PCC SI LS-6 62P	PCC	650/5	LED50	4	Distribution wide	BDP100
90998900	BDP100 LED60/740 II DW PCC SI LS-6 62P	PCC	650/5	LED60	4	Distribution wide	BDP100
91002200	BDP100 LED40/740 II DS PCC SI LS-6 62P	PCC	650/5	LED40	3	Distribution symmetrical	BDP100
91003900	BDP100 LED50/740 II DS PCC SI LS-6 62P	PCC	650/5	LED50	4	Distribution symmetrical	BDP100
91004600	BDP100 LED60/740 II DS PCC SI LS-6 62P	PCC	650/5	LED60	4	Distribution symmetrical	BDP100
91008400	BDP100 LED40/830 II DW PCC SI LS-6 62P	PCC	650/5	LED40	3	Distribution wide	BDP100
91009100	BDP100 LED50/830 II DW PCC SI LS-6 62P	PCC	650/5	LED50	4	Distribution wide	BDP100
91010700	BDP100 LED60/830 II DW PCC SI LS-6 62P	PCC	650/5	LED60	4	Distribution wide	BDP100
91014500	BDP100 LED40/830 II DS PCC SI LS-6 62P	PCC	650/5	LED40	3	Distribution symmetrical	BDP100
91015200	BDP100 LED50/830 II DS PCC SI LS-6 62P	PCC	650/5	LED50	4	Distribution symmetrical	BDP100
91016900	BDP100 LED60/830 II DS PCC SI LS-6 62P	PCC	650/5	LED60	4	Distribution symmetrical	BDP100
30244600	BDP100 LED30/740 DM PCC SI CLO-DDF1 76P	PCC	650/5	LED30	4	Distribution medium	BDP100
90973600	BDP100 LED50/740 II DW PCC GR 62P	PCC	-	LED50	-	Distribution wide	BDP100
90979800	BDP100 LED50/740 II DS PCC GR 62P	PCC	-	LED50	-	Distribution symmetrical	BDP100
90986600	BDP100 LED70/830 II DW PCC GR 62P	PCC	-	LED70	-	Distribution wide	BDP100
90992700	BDP100 LED70/830 II DS PCC GR 62P	PCC	-	LED70	-	Distribution symmetrical	BDP100
12880400	BDP100 LED120/740 II DRW PCC GR-900 D11	PCC	-	LED120	-	Distribution residential wide	BDP100
90610000	BDP100 LED50/830 II DS PCF SI CLO-LS-6 6	PCF	650/5	LED50	6	Distribution symmetrical	BDP100
90999600	BDP100 LED40/740 II DW PCF SI LS-6 62P	PCF	650/5	LED40	3	Distribution wide	BDP100
91000800	BDP100 LED50/740 II DW PCF SI LS-6 62P	PCF	650/5	LED50	4	Distribution wide	BDP100
91001500	BDP100 LED60/740 II DW PCF SI LS-6 62P	PCF	650/5	LED60	4	Distribution wide	BDP100
91005300	BDP100 LED40/740 II DS PCF SI LS-6 62P	PCF	650/5	LED40	3	Distribution symmetrical	BDP100
91006000	BDP100 LED50/740 II DS PCF SI LS-6 62P	PCF	650/5	LED50	4	Distribution symmetrical	BDP100
91007700	BDP100 LED60/740 II DS PCF SI LS-6 62P	PCF	650/5	LED60	4	Distribution symmetrical	BDP100
91011400	BDP100 LED40/830 II DW PCF SI LS-6 62P	PCF	650/5	LED40	3	Distribution wide	BDP100
91012100	BDP100 LED50/830 II DW PCF SI LS-6 62P	PCF	650/5	LED50	4	Distribution wide	BDP100
91013800	BDP100 LED60/830 II DW PCF SI LS-6 62P	PCF	650/5	LED60	4	Distribution wide	BDP100
91017600	BDP100 LED40/830 II DS PCF SI LS-6 62P	PCF	650/5	LED40	3	Distribution symmetrical	BDP100
91018300	BDP100 LED50/830 II DS PCF SI LS-6 62P	PCF	650/5	LED50	4	Distribution symmetrical	BDP100
91019000	BDP100 LED60/830 II DS PCF SI LS-6 62P	PCF	650/5	LED60	4	Distribution symmetrical	BDP100
91051000	BDP100 LED20/830 DW PCF SI CLO 62P	PCF	650/5	LED20	4	Distribution wide	BDP100
91054100	BDP100 LED50/830 DW PCF SI CLO 62P	PCF	650/5	LED50	6	Distribution wide	BDP100
91056500	BDP100 LED100/830 DW PCF SI CLO 62P	PCF	650/5	LED100	6	Distribution wide	BDP100
91958200	BDP100 LED50/740 DW PCF SI 62P	PCF	650/5	LED50	6	Distribution wide	BDP100
90603200	BDP100 LED50/830 II DS PCF GR 62P	PCF	-	LED50	-	Distribution symmetrical	BDP100
90981100	BDP100 LED30/740 II DS PCF GR 62P	PCF	-	LED30	-	Distribution symmetrical	BDP100
90982800	BDP100 LED50/740 II DS PCF GR 62P	PCF	-	LED50	-	Distribution symmetrical	BDP100
90983500	BDP100 LED70/740 II DS PCF GR 62P	PCF	-	LED70	-	Distribution symmetrical	BDP100
90995800	BDP100 LED70/830 II DS PCF GR 62P	PCF	-	LED70	-	Distribution symmetrical	BDP100
91044200	BDP100 LED20/830 DS PCF GR 62P	PCF	-	LED20	-	Distribution symmetrical	BDP100
91045900	BDP100 LED30/830 DS PCF GR 62P	PCF	-	LED30	-	Distribution symmetrical	BDP100
91046600	BDP100 LED40/830 DS PCF GR 62P	PCF	-	LED40	-	Distribution symmetrical	BDP100
90613100	BDP101 LED60/830 II DM PCC SI CLO-DDF2 6	PCC	650/5	LED60	8	Distribution medium	BDP101
34534100	BDP101 LED40/740 II DS PCC GR MSP 62P	PCC	-	LED40	-	Distribution symmetrical	BDP101
90614800	BDP101 LED60/830 II DS PCF SI CLO-DDF2 6	PCF	650/5	LED60	8	Distribution symmetrical	BDP101
91060200	BDP101 LED30/830 DW PCF SI CLO 62P	PCF	650/5	LED30	4	Distribution wide	BDP101
91061900	BDP101 LED35/830 DW PCF SI CLO 62P	PCF	650/5	LED35	4	Distribution wide	BDP101

## TownGuide Performer

Order Code	Full Product Name	Optical cover/		Lamp family	Number of light	Product Family
		lens type	Glow-wire test			
91064000	BDP101 LED100/830 DW PCF SI CLO 62P	PCF	650/5	LED100	6	BDP101
90606300	BDP101 LED50/830 II DS PCF GR 62P	PCF	-	LED50	-	BDP101
90620900	BDP102 LED40/830 II DW PCC SI CLO-DDF1 6	PCC	650/5	LED40	4	BDP102
91020600	BDP102 LED40/740 II DW PCC SI LS-6 62P	PCC	650/5	LED40	3	BDP102
91021300	BDP102 LED50/740 II DW PCC SI LS-6 62P	PCC	650/5	LED50	4	BDP102
91022000	BDP102 LED60/740 II DW PCC SI LS-6 62P	PCC	650/5	LED60	4	BDP102
91026800	BDP102 LED40/740 II DS PCC SI LS-6 62P	PCC	650/5	LED40	3	BDP102
91027500	BDP102 LED50/740 II DS PCC SI LS-6 62P	PCC	650/5	LED50	4	BDP102
91028200	BDP102 LED60/740 II DS PCC SI LS-6 62P	PCC	650/5	LED60	4	BDP102
91032900	BDP102 LED40/830 II DW PCC SI LS-6 62P	PCC	650/5	LED40	3	BDP102
91033600	BDP102 LED50/830 II DW PCC SI LS-6 62P	PCC	650/5	LED50	4	BDP102
91034300	BDP102 LED60/830 II DW PCC SI LS-6 62P	PCC	650/5	LED60	4	BDP102
91038100	BDP102 LED40/830 II DS PCC SI LS-6 62P	PCC	650/5	LED40	3	BDP102
91039800	BDP102 LED50/830 II DS PCC SI LS-6 62P	PCC	650/5	LED50	4	BDP102
91040400	BDP102 LED60/830 II DS PCC SI LS-6 62P	PCC	650/5	LED60	4	BDP102
90622300	BDP102 LED50/830 II DS PCF SI CLO-DDF1 6	PCF	650/5	LED50	4	BDP102
91023700	BDP102 LED40/740 II DW PCF SI LS-6 62P	PCF	650/5	LED40	3	BDP102
91024400	BDP102 LED50/740 II DW PCF SI LS-6 62P	PCF	650/5	LED50	4	BDP102
91025100	BDP102 LED60/740 II DW PCF SI LS-6 62P	PCF	650/5	LED60	4	BDP102
91029900	BDP102 LED40/740 II DS PCF SI LS-6 62P	PCF	650/5	LED40	3	BDP102
91030500	BDP102 LED50/740 II DS PCF SI LS-6 62P	PCF	650/5	LED50	4	BDP102
91031200	BDP102 LED60/740 II DS PCF SI LS-6 62P	PCF	650/5	LED60	4	BDP102
91035000	BDP102 LED40/830 II DW PCF SI LS-6 62P	PCF	650/5	LED40	3	BDP102
91036700	BDP102 LED50/830 II DW PCF SI LS-6 62P	PCF	650/5	LED50	4	BDP102
91037400	BDP102 LED60/830 II DW PCF SI LS-6 62P	PCF	650/5	LED60	4	BDP102
91041100	BDP102 LED40/830 II DS PCF SI LS-6 62P	PCF	650/5	LED40	3	BDP102
91042800	BDP102 LED50/830 II DS PCF SI LS-6 62P	PCF	650/5	LED50	4	BDP102
91043500	BDP102 LED60/830 II DS PCF SI LS-6 62P	PCF	650/5	LED60	4	BDP102
91067100	BDP102 LED20/830 DW PCF SI CLO 62P	PCF	650/5	LED20	4	BDP102
91068800	BDP102 LED30/830 DW PCF SI CLO 62P	PCF	650/5	LED30	4	BDP102
91069500	BDP102 LED35/830 DW PCF SI CLO 62P	PCF	650/5	LED35	4	BDP102
91070100	BDP102 LED50/830 DW PCF SI CLO 62P	PCF	650/5	LED50	6	BDP102
91071800	BDP102 LED70/830 DW PCF SI CLO 62P	PCF	650/5	LED70	8	BDP102
90623000	BDP104 LED30/740 II DM PCC SI CLO-LS-8 6	PCC	650/5	LED30	4	BDP104
90624700	BDP104 LED40/830 II DS PCF SI CLO-LS-8 6	PCF	650/5	LED40	3	BDP104
91086200	BDP104 LED50/830 DW PCF SI CLO 62P	PCF	650/5	LED50	6	BDP104
91088600	BDP104 LED100/830 DW PCF SI CLO 62P	PCF	650/5	LED100	6	BDP104
91075600	BDP103 LED20/830 DW PCF SI CLO 62P	PCF	650/5	LED20	4	BDP103
91077000	BDP103 LED35/830 DW PCF SI CLO 62P	PCF	650/5	LED35	4	BDP103
91078700	BDP103 LED50/830 DW PCF SI CLO 62P	PCF	650/5	LED50	6	BDP103
91081700	BDP103 LED120/830 DW PCF SI CLO 62P	PCF	650/5	LED120	8	BDP103

### Initial Performance (IEC Compliant)

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color	Initial	Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color	Initial
			Rendering Index	luminous flux				Rendering Index	luminous flux
90608700	BDP100 LED30/740 DN PCC SI CLO-LS-6 76P	4000 K	70	2291 lm	90996500	BDP100 LED40/740 II DW PCC SI LS-6 62P	4000 K	70	3040 lm
90609400	BDP100 LED40/830 II DM PCC SI CLO-LS-6 6	3000 K	80	2888 lm	90997200	BDP100 LED50/740 II DW PCC SI LS-6 62P	4000 K	70	3750 lm

## TownGuide Performer

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial luminous flux
90998900	BDP100 LED60/740 II DW PCC SI LS-6 62P	4000 K	70	4500 lm
91002200	BDP100 LED40/740 II DS PCC SI LS-6 62P	4000 K	70	3080 lm
91003900	BDP100 LED50/740 II DS PCC SI LS-6 62P	4000 K	70	3800 lm
91004600	BDP100 LED60/740 II DS PCC SI LS-6 62P	4000 K	70	4500 lm
91008400	BDP100 LED40/830 II DW PCC SI LS-6 62P	3000 K	80	3040 lm
91009100	BDP100 LED50/830 II DW PCC SI LS-6 62P	3000 K	80	3700 lm
91010700	BDP100 LED60/830 II DW PCC SI LS-6 62P	3000 K	80	4500 lm
91014500	BDP100 LED40/830 II DS PCC SI LS-6 62P	3000 K	80	3080 lm
91015200	BDP100 LED50/830 II DS PCC SI LS-6 62P	3000 K	80	3800 lm
91016900	BDP100 LED60/830 II DS PCC SI LS-6 62P	3000 K	80	4500 lm
30244600	BDP100 LED30/740 DM PCC SI CLO-DDF1 76P	4000 K	70	2204 lm
90973600	BDP100 LED50/740 II DW PCC GR 62P	4000 K	70	3750 lm
90979800	BDP100 LED50/740 II DS PCC GR 62P	4000 K	70	3800 lm
90986600	BDP100 LED70/830 II DW PCC GR 62P	3000 K	80	5250 lm
90992700	BDP100 LED70/830 II DS PCC GR 62P	3000 K	80	5250 lm
12880400	BDP100 LED120/740 II DRW PCC GR-900 D11	4000 K	70	8400 lm
90610000	BDP100 LED50/830 II DS PCF SI CLO-LS-6 6	3000 K	80	1862 lm
90999600	BDP100 LED40/740 II DW PCF SI LS-6 62P	4000 K	70	2160 lm
91000800	BDP100 LED50/740 II DW PCF SI LS-6 62P	4000 K	70	2700 lm
91001500	BDP100 LED60/740 II DW PCF SI LS-6 62P	4000 K	70	3240 lm
91005300	BDP100 LED40/740 II DS PCF SI LS-6 62P	4000 K	70	2280 lm
91006000	BDP100 LED50/740 II DS PCF SI LS-6 62P	4000 K	70	2800 lm
91007700	BDP100 LED60/740 II DS PCF SI LS-6 62P	4000 K	70	3240 lm
91011400	BDP100 LED40/830 II DW PCF SI LS-6 62P	3000 K	80	2160 lm
91012100	BDP100 LED50/830 II DW PCF SI LS-6 62P	3000 K	80	2650 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial luminous flux
91013800	BDP100 LED60/830 II DW PCF SI LS-6 62P	3000 K	80	3240 lm
91017600	BDP100 LED40/830 II DS PCF SI LS-6 62P	3000 K	80	2280 lm
91018300	BDP100 LED50/830 II DS PCF SI LS-6 62P	3000 K	80	2800 lm
91019000	BDP100 LED60/830 II DS PCF SI LS-6 62P	3000 K	80	3240 lm
91051000	BDP100 LED20/830 DW PCF SI CLO 62P	3000 K	80	1160 lm
91054100	BDP100 LED50/830 DW PCF SI CLO 62P	3000 K	80	2576 lm
91056500	BDP100 LED100/830 DW PCF SI CLO 62P	3000 K	80	4240 lm
91958200	BDP100 LED50/740 DW PCF SI 62P	4000 K	70	2700 lm
90603200	BDP100 LED50/830 II DS PCF GR 62P	3000 K	80	2800 lm
90981100	BDP100 LED30/740 II DS PCF GR 62P	4000 K	70	1710 lm
90982800	BDP100 LED50/740 II DS PCF GR 62P	4000 K	70	2800 lm
90983500	BDP100 LED70/740 II DS PCF GR 62P	4000 K	70	3780 lm
90995800	BDP100 LED70/830 II DS PCF GR 62P	3000 K	80	3780 lm
91044200	BDP100 LED20/830 DS PCF GR 62P	3000 K	80	1160 lm
91045900	BDP100 LED30/830 DS PCF GR 62P	3000 K	80	1710 lm
91046600	BDP100 LED40/830 DS PCF GR 62P	3000 K	80	2280 lm
90613100	BDP101 LED60/830 II DM PCC SI CLO-DDF2 6	3000 K	80	4424 lm
34534100	BDP101 LED40/740 II DS PCC GR MSP 62P	4000 K	70	3320 lm
90614800	BDP101 LED60/830 II DS PCF SI CLO-DDF2 6	3000 K	80	2300 lm
91060200	BDP101 LED30/830 DW PCF SI CLO 62P	3000 K	80	1798 lm
91061900	BDP101 LED35/830 DW PCF SI CLO 62P	3000 K	80	2013 lm
91064000	BDP101 LED100/830 DW PCF SI CLO 62P	3000 K	80	4560 lm
90606300	BDP101 LED50/830 II DS PCF GR 62P	3000 K	80	3000 lm
90620900	BDP102 LED40/830 II DW PCC SI CLO-DDF1 6	3000 K	80	3116 lm
91020600	BDP102 LED40/740 II DW PCC SI LS-6 62P	4000 K	70	3160 lm

## TownGuide Performer

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial luminous flux
91021300	BDP102 LED50/740 II DW PCC SI LS-6 62P	4000 K	70	3900 lm
91022000	BDP102 LED60/740 II DW PCC SI LS-6 62P	4000 K	70	4680 lm
91026800	BDP102 LED40/740 II DS PCC SI LS-6 62P	4000 K	70	3280 lm
91027500	BDP102 LED50/740 II DS PCC SI LS-6 62P	4000 K	70	4050 lm
91028200	BDP102 LED60/740 II DS PCC SI LS-6 62P	4000 K	70	4740 lm
91032900	BDP102 LED40/830 II DW PCC SI LS-6 62P	3000 K	80	3160 lm
91033600	BDP102 LED50/830 II DW PCC SI LS-6 62P	3000 K	80	3850 lm
91034300	BDP102 LED60/830 II DW PCC SI LS-6 62P	3000 K	80	4680 lm
91038100	BDP102 LED40/830 II DS PCC SI LS-6 62P	3000 K	80	3280 lm
91039800	BDP102 LED50/830 II DS PCC SI LS-6 62P	3000 K	80	4000 lm
91040400	BDP102 LED60/830 II DS PCC SI LS-6 62P	3000 K	80	4740 lm
90622300	BDP102 LED50/830 II DS PCF SI CLO-DDF1 6	3000 K	80	1900 lm
91023700	BDP102 LED40/740 II DW PCF SI LS-6 62P	4000 K	70	2280 lm
91024400	BDP102 LED50/740 II DW PCF SI LS-6 62P	4000 K	70	2800 lm
91025100	BDP102 LED60/740 II DW PCF SI LS-6 62P	4000 K	70	3300 lm
91029900	BDP102 LED40/740 II DS PCF SI LS-6 62P	4000 K	70	2360 lm
91030500	BDP102 LED50/740 II DS PCF SI LS-6 62P	4000 K	70	2950 lm
91031200	BDP102 LED60/740 II DS PCF SI LS-6 62P	4000 K	70	3360 lm
91035000	BDP102 LED40/830 II DW PCF SI LS-6 62P	3000 K	80	2280 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial luminous flux
91036700	BDP102 LED50/830 II DW PCF SI LS-6 62P	3000 K	80	2800 lm
91037400	BDP102 LED60/830 II DW PCF SI LS-6 62P	3000 K	80	3300 lm
91041100	BDP102 LED40/830 II DS PCF SI LS-6 62P	3000 K	80	2360 lm
91042800	BDP102 LED50/830 II DS PCF SI LS-6 62P	3000 K	80	2900 lm
91043500	BDP102 LED60/830 II DS PCF SI LS-6 62P	3000 K	80	3360 lm
91067100	BDP102 LED20/830 DW PCF SI CLO 62P	3000 K	80	1200 lm
91068800	BDP102 LED30/830 DW PCF SI CLO 62P	3000 K	80	1740 lm
91069500	BDP102 LED35/830 DW PCF SI CLO 62P	3000 K	80	1947 lm
91070100	BDP102 LED50/830 DW PCF SI CLO 62P	3000 K	80	2714 lm
91071800	BDP102 LED70/830 DW PCF SI CLO 62P	3000 K	80	3584 lm
90623000	BDP104 LED30/740 II DM PCC SI CLO-LS-8 6	4000 K	70	2204 lm
90624700	BDP104 LED40/830 II DS PCF SI CLO-LS-8 6	3000 K	80	1386 lm
91086200	BDP104 LED50/830 DW PCF SI CLO 62P	3000 K	80	2208 lm
91088600	BDP104 LED100/830 DW PCF SI CLO 62P	3000 K	80	3680 lm
91075600	BDP103 LED20/830 DW PCF SI CLO 62P	3000 K	80	1060 lm
91077000	BDP103 LED35/830 DW PCF SI CLO 62P	3000 K	80	1716 lm
91078700	BDP103 LED50/830 DW PCF SI CLO 62P	3000 K	80	2346 lm
91081700	BDP103 LED120/830 DW PCF SI CLO 62P	3000 K	80	4800 lm

### Light Technical

Order Code	Full Product Name	Upward light output ratio
90608700	BDP100 LED30/740 DN PCC SI CLO-LS-6 76P	3
90609400	BDP100 LED40/830 II DM PCC SI CLO-LS-6 6	3
90996500	BDP100 LED40/740 II DW PCC SI LS-6 62P	3
90997200	BDP100 LED50/740 II DW PCC SI LS-6 62P	3
90998900	BDP100 LED60/740 II DW PCC SI LS-6 62P	3
91002200	BDP100 LED40/740 II DS PCC SI LS-6 62P	3
91003900	BDP100 LED50/740 II DS PCC SI LS-6 62P	3
91004600	BDP100 LED60/740 II DS PCC SI LS-6 62P	3

Order Code	Full Product Name	Upward light output ratio
91008400	BDP100 LED40/830 II DW PCC SI LS-6 62P	3
91009100	BDP100 LED50/830 II DW PCC SI LS-6 62P	3
91010700	BDP100 LED60/830 II DW PCC SI LS-6 62P	3
91014500	BDP100 LED40/830 II DS PCC SI LS-6 62P	3
91015200	BDP100 LED50/830 II DS PCC SI LS-6 62P	3
91016900	BDP100 LED60/830 II DS PCC SI LS-6 62P	3
30244600	BDP100 LED30/740 DM PCC SI CLO-DDF1 76P	3
90973600	BDP100 LED50/740 II DW PCC GR 62P	3

## TownGuide Performer

Order Code	Full Product Name	Upward light output ratio
90979800	BDP100 LED50/740 II DS PCC GR 62P	3
90986600	BDP100 LED70/830 II DW PCC GR 62P	3
90992700	BDP100 LED70/830 II DS PCC GR 62P	3
12880400	BDP100 LED120/740 II DRW PCC GR-900 D11	0
90610000	BDP100 LED50/830 II DS PCF SI CLO-LS-6 6	3
90999600	BDP100 LED40/740 II DW PCF SI LS-6 62P	3
91000800	BDP100 LED50/740 II DW PCF SI LS-6 62P	3
91001500	BDP100 LED60/740 II DW PCF SI LS-6 62P	3
91005300	BDP100 LED40/740 II DS PCF SI LS-6 62P	3
91006000	BDP100 LED50/740 II DS PCF SI LS-6 62P	3
91007700	BDP100 LED60/740 II DS PCF SI LS-6 62P	3
91011400	BDP100 LED40/830 II DW PCF SI LS-6 62P	3
91012100	BDP100 LED50/830 II DW PCF SI LS-6 62P	3
91013800	BDP100 LED60/830 II DW PCF SI LS-6 62P	3
91017600	BDP100 LED40/830 II DS PCF SI LS-6 62P	3
91018300	BDP100 LED50/830 II DS PCF SI LS-6 62P	3
91019000	BDP100 LED60/830 II DS PCF SI LS-6 62P	3
91051000	BDP100 LED20/830 DW PCF SI CLO 62P	3
91054100	BDP100 LED50/830 DW PCF SI CLO 62P	3
91056500	BDP100 LED100/830 DW PCF SI CLO 62P	3
91958200	BDP100 LED50/740 DW PCF SI 62P	3
90603200	BDP100 LED50/830 II DS PCF GR 62P	3
90981100	BDP100 LED30/740 II DS PCF GR 62P	3
90982800	BDP100 LED50/740 II DS PCF GR 62P	3
90983500	BDP100 LED70/740 II DS PCF GR 62P	3
90995800	BDP100 LED70/830 II DS PCF GR 62P	3
91044200	BDP100 LED20/830 DS PCF GR 62P	3
91045900	BDP100 LED30/830 DS PCF GR 62P	3
91046600	BDP100 LED40/830 DS PCF GR 62P	3
90613100	BDP101 LED60/830 II DM PCC SI CLO-DDF2 6	3
34534100	BDP101 LED40/740 II DS PCC GR MSP 62P	3
90614800	BDP101 LED60/830 II DS PCF SI CLO-DDF2 6	15
91060200	BDP101 LED30/830 DW PCF SI CLO 62P	15
91061900	BDP101 LED35/830 DW PCF SI CLO 62P	15
91064000	BDP101 LED100/830 DW PCF SI CLO 62P	15
90606300	BDP101 LED50/830 II DS PCF GR 62P	15
90620900	BDP102 LED40/830 II DW PCC SI CLO-DDF1 6	3
91020600	BDP102 LED40/740 II DW PCC SI LS-6 62P	3

Order Code	Full Product Name	Upward light output ratio
91021300	BDP102 LED50/740 II DW PCC SI LS-6 62P	3
91022000	BDP102 LED60/740 II DW PCC SI LS-6 62P	3
91026800	BDP102 LED40/740 II DS PCC SI LS-6 62P	3
91027500	BDP102 LED50/740 II DS PCC SI LS-6 62P	3
91028200	BDP102 LED60/740 II DS PCC SI LS-6 62P	3
91032900	BDP102 LED40/830 II DW PCC SI LS-6 62P	3
91033600	BDP102 LED50/830 II DW PCC SI LS-6 62P	3
91034300	BDP102 LED60/830 II DW PCC SI LS-6 62P	3
91038100	BDP102 LED40/830 II DS PCC SI LS-6 62P	3
91039800	BDP102 LED50/830 II DS PCC SI LS-6 62P	3
91040400	BDP102 LED60/830 II DS PCC SI LS-6 62P	3
90622300	BDP102 LED50/830 II DS PCF SI CLO-DDF1 6	10
91023700	BDP102 LED40/740 II DW PCF SI LS-6 62P	10
91024400	BDP102 LED50/740 II DW PCF SI LS-6 62P	10
91025100	BDP102 LED60/740 II DW PCF SI LS-6 62P	10
91029900	BDP102 LED40/740 II DS PCF SI LS-6 62P	10
91030500	BDP102 LED50/740 II DS PCF SI LS-6 62P	10
91031200	BDP102 LED60/740 II DS PCF SI LS-6 62P	10
91035000	BDP102 LED40/830 II DW PCF SI LS-6 62P	10
91036700	BDP102 LED50/830 II DW PCF SI LS-6 62P	10
91037400	BDP102 LED60/830 II DW PCF SI LS-6 62P	10
91041100	BDP102 LED40/830 II DS PCF SI LS-6 62P	10
91042800	BDP102 LED50/830 II DS PCF SI LS-6 62P	10
91043500	BDP102 LED60/830 II DS PCF SI LS-6 62P	10
91067100	BDP102 LED20/830 DW PCF SI CLO 62P	10
91068800	BDP102 LED30/830 DW PCF SI CLO 62P	10
91069500	BDP102 LED35/830 DW PCF SI CLO 62P	10
91070100	BDP102 LED50/830 DW PCF SI CLO 62P	10
91071800	BDP102 LED70/830 DW PCF SI CLO 62P	10
90623000	BDP104 LED30/740 II DM PCC SI CLO-LS-8 6	3
90624700	BDP104 LED40/830 II DS PCF SI CLO-LS-8 6	3
91086200	BDP104 LED50/830 DW PCF SI CLO 62P	3
91088600	BDP104 LED100/830 DW PCF SI CLO 62P	3
91075600	BDP103 LED20/830 DW PCF SI CLO 62P	4
91077000	BDP103 LED35/830 DW PCF SI CLO 62P	4
91078700	BDP103 LED50/830 DW PCF SI CLO 62P	4
91081700	BDP103 LED120/830 DW PCF SI CLO 62P	4

### Mechanical and Housing

Order Code	Full Product Name	Color
90608700	BDP100 LED30/740 DN PCC SI CLO-LS-6 76P	Silver
90609400	BDP100 LED40/830 II DM PCC SI CLO-LS-6 6	Silver
90996500	BDP100 LED40/740 II DW PCC SI LS-6 62P	Silver
90997200	BDP100 LED50/740 II DW PCC SI LS-6 62P	Silver
90998900	BDP100 LED60/740 II DW PCC SI LS-6 62P	Silver
91002200	BDP100 LED40/740 II DS PCC SI LS-6 62P	Silver
91003900	BDP100 LED50/740 II DS PCC SI LS-6 62P	Silver
91004600	BDP100 LED60/740 II DS PCC SI LS-6 62P	Silver
91008400	BDP100 LED40/830 II DW PCC SI LS-6 62P	Silver
91009100	BDP100 LED50/830 II DW PCC SI LS-6 62P	Silver

Order Code	Full Product Name	Color
91010700	BDP100 LED60/830 II DW PCC SI LS-6 62P	Silver
91014500	BDP100 LED40/830 II DS PCC SI LS-6 62P	Silver
91015200	BDP100 LED50/830 II DS PCC SI LS-6 62P	Silver
91016900	BDP100 LED60/830 II DS PCC SI LS-6 62P	Silver
30244600	BDP100 LED30/740 DM PCC SI CLO-DDF1 76P	Silver
90973600	BDP100 LED50/740 II DW PCC GR 62P	Gray
90979800	BDP100 LED50/740 II DS PCC GR 62P	Gray
90986600	BDP100 LED70/830 II DW PCC GR 62P	Gray
90992700	BDP100 LED70/830 II DS PCC GR 62P	Gray
12880400	BDP100 LED120/740 II DRW PCC GR-900 D11	Gray



## TownGuide Performer

Order Code	Full Product Name	Color	Order Code	Full Product Name	Color
90610000	BDP100 LED50/830 II DS PCF SI CLO-LS-6 6	Silver	91026800	BDP102 LED40/740 II DS PCC SI LS-6 62P	Silver
90999600	BDP100 LED40/740 II DW PCF SI LS-6 62P	Silver	91027500	BDP102 LED50/740 II DS PCC SI LS-6 62P	Silver
91000800	BDP100 LED50/740 II DW PCF SI LS-6 62P	Silver	91028200	BDP102 LED60/740 II DS PCC SI LS-6 62P	Silver
91001500	BDP100 LED60/740 II DW PCF SI LS-6 62P	Silver	91032900	BDP102 LED40/830 II DW PCC SI LS-6 62P	Silver
91005300	BDP100 LED40/740 II DS PCF SI LS-6 62P	Silver	91033600	BDP102 LED50/830 II DW PCC SI LS-6 62P	Silver
91006000	BDP100 LED50/740 II DS PCF SI LS-6 62P	Silver	91034300	BDP102 LED60/830 II DW PCC SI LS-6 62P	Silver
91007700	BDP100 LED60/740 II DS PCF SI LS-6 62P	Silver	91038100	BDP102 LED40/830 II DS PCC SI LS-6 62P	Silver
91011400	BDP100 LED40/830 II DW PCF SI LS-6 62P	Silver	91039800	BDP102 LED50/830 II DS PCC SI LS-6 62P	Silver
91012100	BDP100 LED50/830 II DW PCF SI LS-6 62P	Silver	91040400	BDP102 LED60/830 II DS PCC SI LS-6 62P	Silver
91013800	BDP100 LED60/830 II DW PCF SI LS-6 62P	Silver	90622300	BDP102 LED50/830 II DS PCF SI CLO-DDF1 6	Silver
91017600	BDP100 LED40/830 II DS PCF SI LS-6 62P	Silver	91023700	BDP102 LED40/740 II DW PCF SI LS-6 62P	Silver
91018300	BDP100 LED50/830 II DS PCF SI LS-6 62P	Silver	91024400	BDP102 LED50/740 II DW PCF SI LS-6 62P	Silver
91019000	BDP100 LED60/830 II DS PCF SI LS-6 62P	Silver	91025100	BDP102 LED60/740 II DW PCF SI LS-6 62P	Silver
91051000	BDP100 LED20/830 DW PCF SI CLO 62P	Silver	91029900	BDP102 LED40/740 II DS PCF SI LS-6 62P	Silver
91054100	BDP100 LED50/830 DW PCF SI CLO 62P	Silver	91030500	BDP102 LED50/740 II DS PCF SI LS-6 62P	Silver
91056500	BDP100 LED100/830 DW PCF SI CLO 62P	Silver	91031200	BDP102 LED60/740 II DS PCF SI LS-6 62P	Silver
91958200	BDP100 LED50/740 DW PCF SI 62P	Silver	91035000	BDP102 LED40/830 II DW PCF SI LS-6 62P	Silver
90603200	BDP100 LED50/830 II DS PCF GR 62P	Gray	91036700	BDP102 LED50/830 II DW PCF SI LS-6 62P	Silver
90981100	BDP100 LED30/740 II DS PCF GR 62P	Gray	91037400	BDP102 LED60/830 II DW PCF SI LS-6 62P	Silver
90982800	BDP100 LED50/740 II DS PCF GR 62P	Gray	91041100	BDP102 LED40/830 II DS PCF SI LS-6 62P	Silver
90983500	BDP100 LED70/740 II DS PCF GR 62P	Gray	91042800	BDP102 LED50/830 II DS PCF SI LS-6 62P	Silver
90995800	BDP100 LED70/830 II DS PCF GR 62P	Gray	91043500	BDP102 LED60/830 II DS PCF SI LS-6 62P	Silver
91044200	BDP100 LED20/830 DS PCF GR 62P	Gray	91067100	BDP102 LED20/830 DW PCF SI CLO 62P	Silver
91045900	BDP100 LED30/830 DS PCF GR 62P	Gray	91068800	BDP102 LED30/830 DW PCF SI CLO 62P	Silver
91046600	BDP100 LED40/830 DS PCF GR 62P	Gray	91069500	BDP102 LED35/830 DW PCF SI CLO 62P	Silver
90613100	BDP101 LED60/830 II DM PCC SI CLO-DDF2 6	Silver	91070100	BDP102 LED50/830 DW PCF SI CLO 62P	Silver
34534100	BDP101 LED40/740 II DS PCC GR MSP 62P	Gray	91071800	BDP102 LED70/830 DW PCF SI CLO 62P	Silver
90614800	BDP101 LED60/830 II DS PCF SI CLO-DDF2 6	Silver	90623000	BDP104 LED30/740 II DM PCC SI CLO-LS-8 6	Silver
91060200	BDP101 LED30/830 DW PCF SI CLO 62P	Silver	90624700	BDP104 LED40/830 II DS PCF SI CLO-LS-8 6	Silver
91061900	BDP101 LED35/830 DW PCF SI CLO 62P	Silver	91086200	BDP104 LED50/830 DW PCF SI CLO 62P	Silver
91064000	BDP101 LED100/830 DW PCF SI CLO 62P	Silver	91088600	BDP104 LED100/830 DW PCF SI CLO 62P	Silver
90606300	BDP101 LED50/830 II DS PCF GR 62P	Gray	91075600	BDP103 LED20/830 DW PCF SI CLO 62P	Silver
90620900	BDP102 LED40/830 II DW PCC SI CLO-DDF1 6	Silver	91077000	BDP103 LED35/830 DW PCF SI CLO 62P	Silver
91020600	BDP102 LED40/740 II DW PCC SI LS-6 62P	Silver	91078700	BDP103 LED50/830 DW PCF SI CLO 62P	Silver
91021300	BDP102 LED50/740 II DW PCC SI LS-6 62P	Silver	91081700	BDP103 LED120/830 DW PCF SI CLO 62P	Silver
91022000	BDP102 LED60/740 II DW PCC SI LS-6 62P	Silver			

