



Product Description

Standard Candle B35 clear

Flame-shaped bulb with clear glass and vacuum- or gas-filled bulb with E-base

Benefits

- At their best in decorative glass chandeliers and wall brackets with clear or textured glass bowls
- Brilliant, visible filament adds small points of brightness for an enriched lighting effect

Features

- Slender, crystal-clear lamps designed for sparkling highlights
- Creates a classic sparkling atmosphere

Application

- Home use in living and dining rooms, bedrooms, halls and studies
- Hotel lounges, restaurants, bedrooms, halls, conference rooms and foyers
- Clubs and social areas
- Ballrooms
- Shops and boutiques
- Churches

Standard Candle B35 clear

Dimensional drawing

Product	D	C (max)
Standard 40W E14 230V B35 CL 1CT/10X10F	35 mm	100 mm
Standard 25W E14 230V B35 CL 1CT/10X10F	35 mm	100 mm
Standard 60W E14 230V B35 CL 1CT/10X10F	35 mm	100 mm

Approval and Application

Energy Efficiency Label (EEL)	E
-------------------------------	---

Controls and Dimming

Dimmable	Yes
----------	-----

Operating and Electrical

Voltage (Nom)	230 V
---------------	-------

General Information

Cap-Base	E14
Nominal Lifetime (Nom)	1000 h
Operating Position	UNIVERSAL
Rated Lifetime (Hours)	1000 h

Light Technical

Color Rendering Index (Nom)	100
-----------------------------	-----

Mechanical and Housing

Bulb Finish	Clear
Bulb Shape	B35

Operating and Electrical

Order Code	Full Product Name	Power (Rated) (Nom)
01160250	STAN 25W E14 230V B35 CL 1CT/10X10F	25 W
01167150	STAN 60W E14 230V B35 CL 1CT/10X10F	60 W
01163350	STAN 40W E14 230V B35 CL 1CT/10X10F	40 W

Light Technical

Order Code	Full Product Name	Luminous Flux (Nom)
01160250	STAN 25W E14 230V B35 CL 1CT/10X10F	215 lm



Standard Candle B35 clear

Order Code	Full Product Name	Luminous Flux (Nom)
01167150	STAN 60W E14 230V B35 CL 1CT/10X10F	670 lm
01163350	STAN 40W E14 230V B35 CL 1CT/10X10F	410 lm

