



Product Description

Standard Candle B35 frosted

Flame-shaped bulb with inside-frosted glass and vacuum- or gas-filled bulb with E-base

Benefits

- Graceful lamps that enhance the elegance of classical chandeliers, candelabras, wall brackets etc.
- Set the scene for cosiness and comfort, used with or without lampshades

Features

- Slender, frosted lamps
- Creates a low glare atmosphere

Application

- Home use in living and dining rooms, bedrooms, halls and studies
- Hotel lounges, restaurants, bedrooms, halls, conference rooms and foyers
- Clubs and social areas
- Ballrooms
- Shops and boutiques
- Churches

Standard Candle B35 frosted

Versions



E14, B35, FR

Dimensional drawing

Product	D	C (max)
Standard 40W E14 230V B35 FR 1CT/10X10F	35 mm	100 mm
Standard 60W E14 230V B35 FR 1CT/10X10F	35 mm	100 mm

Approval and Application

Energy Efficiency Label (EEL) E

Controls and Dimming

Dimmable Yes

Operating and Electrical

Voltage (Nom) 230 V

General Information

Cap-Base E14

Nominal Lifetime (Nom) 1000 h

Operating Position UNIVERSAL

Rated Lifetime (Hours) 1000 h

Light Technical

Color Rendering Index (Nom) 100

Mechanical and Housing

Bulb Finish Frosted

Bulb Shape B35

Operating and Electrical

Order Code	Full Product Name	Power (Rated) (Nom)
01133650	STAN 40W E14 230V B35 FR 1CT/10X10F	40 W
01176350	STAN 60W E14 230V B35 FR 1CT/10X10F	60 W

Light Technical

Standard Candle B35 frosted

Order Code	Full Product Name	Luminous Flux (Nom)	Order Code	Full Product Name	Luminous Flux (Nom)
01133650	STAN 40W E14 230V B35 FR 1CT/10X10F	410 lm	01176350	STAN 60W E14 230V B35 FR 1CT/10X10F	670 lm

