



Product Description

Standard A-shape clear

Conventional pear-shaped incandescent lamps

Benefits

- Brilliant, visible filament adds friendly points of brightness for an enriched lighting effect

Features

- Vacuum-filled (15W) or gas-filled (25W and above)

Application

- Clear lamps are ideal for indirect lighting in closed luminaires, and where brilliance and sparkling effects are more important than reduction of glare


Versions



E27, A55, Clear

Standard A-shape clear

Dimensional drawing



Product	D (max)	D	C (max)
Standard 60W E27 230V A55 CL 1CT/12X10F	56 mm	55 mm	97 mm
Standard 75W E27 230V A55 CL 1CT/12X10F	56 mm	55 mm	97 mm
Standard 40W E27 230V A55 CL 1CT/12X10F	56 mm	55 mm	97 mm

Approval and Application

Energy Efficiency Label (EEL)	E
-------------------------------	---

Controls and Dimming

Dimmable	Yes
----------	-----

Operating and Electrical

Voltage (Nom)	230 V
---------------	-------

General Information

Cap-Base	E27
Nominal Lifetime (Nom)	1000 h
Operating Position	UNIVERSAL
Rated Lifetime (Hours)	1000 h

Light Technical

Color Rendering Index (Nom)	100
-----------------------------	-----

Mechanical and Housing

Bulb Finish	Clear
Bulb Shape	A55

Operating and Electrical

Order Code	Full Product Name	Power (Rated) (Nom)
35453284	Standard 40W E27 230V A55 CL 1CT/12X10F	40 W
35459484	STAN 75W E27 230V A55 CL 1CT/12X10F	75 W
35456384	STAN 60W E27 230V A55 CL 1CT/12X10F	60 W

Light Technical

Order Code	Full Product Name	Luminous Flux (Nom)
35453284	Standard 40W E27 230V A55 CL 1CT/12X10F	415 lm



Standard A-shape clear

Order Code	Full Product Name	Luminous Flux (Nom)
35459484	STAN 75W E27 230V A55 CL 1CT/12X10F	930 lm
35456384	STAN 60W E27 230V A55 CL 1CT/12X10F	710 lm

