



# Time to upgrade your conventional lighting to LumiStreet gen2

## LumiStreet gen2

Increasing numbers of municipalities are having to upgrade large-scale conventional street lighting installations with energy efficient LED technology. But they are having to do this with smaller and smaller budgets. That's why the new generation of LumiStreet has been upgraded and designed to provide a solution to this challenge, it is the ideal solution for performing point-to-point replacement of conventional lighting. LumiStreet gen2 achieves this by offering high efficiency, low Total Cost of Ownership, and ease of installation and maintenance. The ease of installation and maintenance is enabled by the Philips Service tag. Moreover, the Philips SR (System Ready) socket makes it future-ready and you can pair this luminaire with lighting control and software applications such as Interact City.

### Benefits

- Economical LED alternative to conventional street lights
- Offers high efficiency and energy savings
- Made of high-quality materials for longer lifetime and minimized maintenance

### Features

- Good application coverage thanks to wide range of optics, tunable flux and tiltable spigot
- Easy luminaire identification due to the Philips Service tag
- Future-ready thanks to the SR (System Ready) socket
- High system efficiency with good application coverage
- Luminaire is also equipped with dedicated light recipes that help with: 1) maintaining an optimal ecosystems for bats or 2) preserving a dark night sky and reduce light pollution

# LumiStreet gen2

## Application

- Roads and streets
- Residential streets

## Specifications

<b>Dimming</b>	No, yes	<b>Ambient Temperature</b>	-40 to +50 °C
<b>Input voltage</b>	220 to 240 V	<b>Initial LED luminaire efficacy</b>	107, 109, 111, 112, 113, 121, 126, 128, 132, 133, 134, 135, 136, 137, 138, 139, 140, 141, 142, 143, 144, 145, 146, 147, 149, 150, 151, 152, 153, 156 lm/W
<b>Inrush current (A)</b>	15, 21, 47, 53, 65 A	<b>Material</b>	Housing: aluminum die-cast
<b>Light source color</b>	740 neutral white, 830 warm white	<b>Optic</b>	Distribution extra wide 10, distribution medium 10, distribution medium 11, distribution medium 12, distribution medium 32, distribution medium 50, distribution narrow 10, distribution wide 10, distribution wide 50
<b>Type</b>	BGP291 BGP292 BGP293 BGP294 BGP391 BGP392 BGP393 BGP394		other upon request

## Versions



LumiStreet gen2 Mini



LumiStreet gen2 Medium



LumiStreet gen2 Micro



LumiStreet gen2 Large

## Product details

UniStreet\_LumiStreet\_gen2



UniStreet\_LumiStreet\_gen2



# LumiStreet gen2

## Product details



Bottom view for spigot regulation and screw

UniStreet\_LumiStreet\_gen2



UniStreet\_LumiStreet\_gen2

UniStreet\_LumiStreet\_gen2



UniStreet\_LumiStreet\_gen2



UniStreet\_LumiStreet\_gen2



UniStreet\_LumiStreet\_gen2



UniStreet\_LumiStreet\_gen2



UniStreet gen2 spigot regulation

UniStreet\_LumiStreet\_gen2



## Product details



UniStreet\_LumiStreet\_gen2



UniStreet\_LumiStreet\_gen2

### Application Conditions

Maximum dim level	0% (digital)
-------------------	--------------

### Approval and Application

Mech. impact protection code	IK08
------------------------------	------

### General Information

CE mark	CE mark
Optical cover/lens type	FG
Driver included	Yes
Flammability mark	F
Light source replaceable	Yes
Service tag	Yes

### Light Technical

Standard tilt angle side entry	0°
Standard tilt angle posttop	0°
Upward light output ratio	0

### Mechanical and Housing

Color	Gray
-------	------

-

Order Code	Full Product Name	Driver failure rate at 5000 h
44936000	BGP292 LED49-4S/740 I DX10 7024 D9 76S	0.5 %
44939100	BGP292 LED39-4S/740 II DN10 SW302F CLO D	0.5 %
44943800	BGP292 LED99-4S/740 I DX10 7024 D9 48/60	0.5 %
44949000	BGP292 LED14-4S/740 II DM12 SW302F CLO D	0.5 %
05876700	BGP292 LED120-4S/740 I DM11 48/60S	0.5 %
06038800	BGP292 LED18-4S/740 I DM50 D948/60S	0.5 %
06039500	BGP292 LED22-4S/740 I DM50 D948/60S	0.5 %
06046300	BGP292 LED34-4S/740 II DM50 D9 48/60S	0.5 %
06047000	BGP292 LED60-4S/740 II DM50 D9 48/60S	0.5 %
06048700	BGP292 LED80-4S/740 II DM50 D9 48/60S	0.5 %
06049400	BGP292 LED100-4S/740 II DM50 D9 48/60S	0.5 %
07894900	BGP292 LED120-4S/740 II DM50 D9 48/60S	0.5 %
07905200	BGP292 LED120-4S/740 II DM11 48/60S	0.5 %
07906900	BGP292 LED85-4S/740 II DM11 48/60S	0.5 %
07908300	BGP292 LED85-4S/740 II DM11 48/60S	0.5 %
07923600	BGP392 LED120-4S/740 II DM11 D9 48/60S	0.5 %
07963200	BGP292 LED75-4S/740 I DX10 7024 D9 48/60	0.5 %
07964900	BGP292 LED49-4S/740 I DX10 7024 D9 48/60	0.5 %
07965600	BGP292 LED27-4S/740 II DN10 SW302F CLO D	0.5 %
07967000	BGP292 LED99-4S/740 II DX10 7024 D9 48/6	0.5 %
07968700	BGP292 LED34-4S/740 II DN10 SW302F CLO D	0.5 %
07969400	BGP292 LED22-4S/740 II DM12 SW302F CLO D	0.5 %
07970000	BGP292 LED75-4S/740 I DX10 7024 D9 76S	0.5 %
07977900	BGP292 LED18-4S/740 II DM12 SW302F CLO D	0.5 %
07981600	BGP292 LED27-4S/740 II DN10 SW302F CLO D	0.5 %
07986100	BGP292 LED85-4S/740 I DM10 D9SRG10 48/60	0.5 %
07987800	BGP292 LED49-4S/740 II DM50 D9 48/60S	0.5 %
07989200	BGP292 LED74-4S/740 II DM11 CLO S05Z1Z1-	0.5 %
07992200	BGP292 LED34-4S/740 II DN10 SW302F CLO D	0.5 %
07995300	BGP292 LED94-4S/740 II DM11 CLO D9 48/60	0.5 %
07996000	BGP292 LED22-4S/740 II DN10 SW302F CLO D	0.5 %
07999100	BGP292 LED109-4S/740 II DM10 7043 D9 48/	0.5 %
10013800	BGP292 LED120-4S/740 II DM11 CLO S05Z1Z1	0.5 %
10014500	BGP292 LED22-4S/740 II DM12 SW302F CLO D	0.5 %
10018300	BGP292 LED51-4S/740 I DX10 P148/60S	0.5 %
10026800	BGP292 LED39-4S/740 II DM12 SW302F CLO D	0.5 %
10031200	BGP292 LED99-4S/740 I DX10 7024 D9 76S	0.5 %

Order Code	Full Product Name	Driver failure rate at 5000 h
10036700	BGP292 LED75-4S/740 I DX10 48/60S	0.5 %
10037400	BGP292 LED39-4S/740 II DN10 SW302F CLO D	0.5 %
10038100	BGP292 LED51-4S/740 I DX10 48/60S	0.5 %
10061900	BGP292 LED18-4S/740 II DN10 SW302F CLO D	0.5 %
10068800	BGP292 LED39-4S/740 II DW10 SW302F CLO D	0.5 %
10069500	BGP292 LED75-4S/740 I DX10 ALU D9 76S	0.5 %
10073200	BGP292 LED65-4S/740 II DM50 D9 48/60S	0.5 %
10117300	BGP292 LED119-4S/740 II DM11 CLO 48/60S	0.5 %
10163000	BGP292 LED54-4S/740 II DM11 CLO S05Z1Z1-	0.5 %
10164700	BGP292 LED64-4S/740 II DM11 CLO S05Z1Z1-	0.5 %
10175300	BGP292 LED45-4S/830 II DM11 CLO S05Z1Z1-	0.5 %
10193700	BGP292 LED45-4S/740 II DM11 CLO S05Z1Z1-	0.5 %
10197500	BGP292 LED35-4S/830 II DM11 CLO S05Z1Z1-	0.5 %
10204000	BGP292 LED35-4S/740 II DM11 CLO S05Z1Z1-	0.5 %
12560500	BGP292 LED70-4S/740 II DX10 D11 H07RN-F-	0.5 %
12561200	BGP292 LED80-4S/740 II DX10 BL1 D11 H07R	0.5 %
12564300	BGP292 LED70-4S/740 II DM11 48/76S POLE	0.5 %
12565000	BGP292 LED120-4S/740 II DM11 48/76S POLE	0.5 %
44937700	BGP293 LED149-4S/740 I DM12 D9 SRG10 48/	0.5 %
44946900	BGP293 LED120-4S/740 I DX10 7024 D9 48/6	0.5 %
05877400	BGP293 LED240-4S/740 I DM11 48/60S	0.5 %
05889700	BGP293 LED240-4S/740 I DM11 SRT SRB SRG1	0.5 %
07896300	BGP293 LED100-4S/740 II DM50 D9 48/60S	0.5 %
07897000	BGP293 LED139-4S/740 II DM50 D9 48/60S	0.5 %
07898700	BGP293 LED180-4S/740 II DM50 D9 48/60S	0.5 %
07899400	BGP293 LED240-4S/740 II DM50 D9 48/60S	0.5 %
07909000	BGP293 LED170-4S/740 II DM11 48/60S	0.5 %
07928100	BGP393 LED240-4S/740 II DM11 D9 48/60S	0.5 %
07988500	BGP293 LED149-4S/740 II DM50 D9 48/60S	0.5 %
10024400	BGP293 LED139-4S/740 I DX10 48/60S	0.5 %
10027500	BGP293 LED149-4S/740 II DM50 D9 48/60S	0.5 %
10032900	BGP293 LED149-4S/740 I DX10 48/60S	0.5 %
10042800	BGP293 LED149-4S/740 II DW10 H07RN-F-2X1	0.5 %
10054100	BGP293 LED139-4S/740 II DM10 48/60S	0.5 %
10058900	BGP293 LED84-4S/740 II DM50 D9 48/60S	0.5 %
10060200	BGP293 LED149-4S/740 I DM50 D9 48/60S	0.5 %
10074900	BGP293 LED109-4S/740 I DM50 D9 48/60S	0.5 %
10165400	BGP293 LED80-4S/740 II DM11 CLO S05Z1Z1-	0.5 %
10166100	BGP293 LED100-4S/740 II DM11 CLO S05Z1Z1	0.5 %
10167800	BGP293 LED120-4S/740 II DM11 CLO S05Z1Z1	0.5 %
10168500	BGP293 LED149-4S/740 II DM11 CLO S05Z1Z1	0.5 %
10189000	BGP293 LED100-4S/740 II DM11 CLO SRT 48/	0.5 %
44945200	BGP291 LED39-4S/740 II DM50 48/60S	0.5 %
05875000	BGP291 LED50-4S/740 I DM11 48/60S	0.5 %
05887300	BGP291 LED50-4S/740 I DM11 SRT SRB SRG10	0.5 %
06041800	BGP291 LED8-4S/740 II DM50 D948/60S	0.5 %
06042500	BGP291 LED20-4S/740 II DM50 D9 48/60S	0.5 %
06043200	BGP291 LED40-4S/740 II DM50 D9 48/60S	0.5 %
06044900	BGP291 LED50-4S/740 II DM50 D9 48/60S	0.5 %
06045600	BGP291 LED64-4S/740 II DM50 D9 48/60S	0.5 %
07907600	BGP291 LED60-4S/740 II DM11 48/60S	0.5 %
07910600	BGP291 LED45-4S/740 II DM11 48/60S	0.5 %

Order Code	Full Product Name	Driver failure rate at 5000 h
07911300	BGP291 LED60-4S/740 II DM11 48/60S	0.5 %
07912000	BGP291 LED45-4S/740 II DM11 48/60S	0.5 %
07918200	BGP391 LED64-4S/740 II DM11 D9 48/60S	0.5 %
10045900	BGP291 LED44-4S/740 I DW50 CLO D9 P1 32/	0.5 %
10120300	BGP291 LED34-4S/740 II DM11 CLO 48/60S	0.5 %
10121000	BGP291 LED34-4S/740 II DM11 CLO-DDF1 D18	0.5 %
10122700	BGP291 LED34-4S/830 II DM11 CLO 48/60S	0.5 %
10123400	BGP291 LED34-4S/830 II DM11 CLO-DDF1 D18	0.5 %
10124100	BGP291 LED44-4S/740 II DM11 CLO 48/60S	0.5 %
10125800	BGP291 LED44-4S/740 II DM11 CLO-DDF1 D18	0.5 %
10126500	BGP291 LED44-4S/830 II DM11 CLO 48/60S	0.5 %
10127200	BGP291 LED44-4S/830 II DM11 CLO-DDF1 D18	0.5 %
10128900	BGP291 LED51-4S/740 II DM11 CLO 48/60S	0.5 %
10129600	BGP291 LED51-4S/740 II DM11 CLO-DDF1 D18	0.5 %
10162300	BGP291 LED20-4S/740 II DM11 CLO S05Z1Z1-	0.5 %
10173900	BGP291 LED25-4S/830 II DM11 CLO S05Z1Z1-	0.5 %
10174600	BGP291 LED35-4S/740 II DM11 CLO S05Z1Z1-	0.5 %
10176000	BGP291 LED45-4S/740 II DM11 CLO S05Z1Z1-	0.5 %
10187600	BGP291 LED45-4S/740 II DM11 CLO SRT 48/6	0.5 %
10188300	BGP291 LED54-4S/740 II DM11 CLO SRT 48/6	0.5 %
10191300	BGP291 LED20-4S/830 II DM11 CLO S05Z1Z1-	0.5 %
10192000	BGP291 LED25-4S/740 II DM11 CLO S05Z1Z1-	0.5 %
10195100	BGP291 LED35-4S/830 II DM11 CLO S05Z1Z1-	0.5 %
10196800	BGP291 LED45-4S/830 II DM11 CLO S05Z1Z1-	0.5 %
12558200	BGP291 LED45-4S/740 II DX10 D11 H07RN-F-	0.5 %
12559900	BGP291 LED60-4S/740 II DX10 BL1 D11 H07R	0.5 %
12562900	BGP291 LED25-4S/740 II DM11 48/76S POLE	0.5 %
12563600	BGP291 LED35-4S/740 II DM11 48/76S POLE	0.5 %
05878100	BGP294 LED340-4S/740 I DM11 48/60S PLS	0.5 %
07933500	BGP394 LED340-4S/740 II DM11 D9 48/60S P	-

### Approval and Application

Order Code	Full Product Name	Surge Protection (Common/Differential)	Order Code	Full Product Name	Surge Protection (Common/Differential)
44936000	BGP292 LED49-4S/740 I DX10 7024 D9 76S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	06048700	BGP292 LED80-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
44939100	BGP292 LED39-4S/740 II DN10 SW302F CLO D	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	06049400	BGP292 LED100-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
44943800	BGP292 LED99-4S/740 I DX10 7024 D9 48/60	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	07894900	BGP292 LED120-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
44949000	BGP292 LED14-4S/740 II DM12 SW302F CLO D	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	07905200	BGP292 LED120-4S/740 II DM11 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
05876700	BGP292 LED120-4S/740 I DM11 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	07906900	BGP292 LED85-4S/740 II DM11 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
06038800	BGP292 LED18-4S/740 I DM50 D948/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	07908300	BGP292 LED85-4S/740 II DM11 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
06039500	BGP292 LED22-4S/740 I DM50 D948/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	07923600	BGP392 LED120-4S/740 II DM11 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
06046300	BGP292 LED34-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	07963200	BGP292 LED75-4S/740 I DX10 7024 D9 48/60	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
06047000	BGP292 LED60-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	07964900	BGP292 LED49-4S/740 I DX10 7024 D9 48/60	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode

Order Code	Full Product Name	Surge Protection (Common/Differential)	Order Code	Full Product Name	Surge Protection (Common/Differential)
07965600	BGP292 LED27-4S/740 II DN10 SW302F CLO D	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	10117300	BGP292 LED119-4S/740 II DM11 CLO 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
07967000	BGP292 LED99-4S/740 II DX10 7024 D9 48/6	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	10163000	BGP292 LED54-4S/740 II DM11 CLO S05Z1Z1-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
07968700	BGP292 LED34-4S/740 II DN10 SW302F CLO D	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	10164700	BGP292 LED64-4S/740 II DM11 CLO S05Z1Z1-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
07969400	BGP292 LED22-4S/740 II DM12 SW302F CLO D	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	10175300	BGP292 LED45-4S/830 II DM11 CLO S05Z1Z1-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
07970000	BGP292 LED75-4S/740 I DX10 7024 D9 76S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	10193700	BGP292 LED45-4S/740 II DM11 CLO S05Z1Z1-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
07977900	BGP292 LED18-4S/740 II DM12 SW302F CLO D	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	10197500	BGP292 LED35-4S/830 II DM11 CLO S05Z1Z1-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
07981600	BGP292 LED27-4S/740 II DN10 SW302F CLO D	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	10204000	BGP292 LED35-4S/740 II DM11 CLO S05Z1Z1-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
07986100	BGP292 LED85-4S/740 I DM10 D9SRG10 48/60	Surge protection level until 10 kV	12560500	BGP292 LED70-4S/740 II DX10 D11 H07RN-F-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
07987800	BGP292 LED49-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	12561200	BGP292 LED80-4S/740 II DX10 BL1 D11 H07R	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
07989200	BGP292 LED74-4S/740 II DM11 CLO S05Z1Z1-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	12564300	BGP292 LED70-4S/740 II DM11 48/76S POLE	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
07992200	BGP292 LED34-4S/740 II DN10 SW302F CLO D	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	12565000	BGP292 LED120-4S/740 II DM11 48/76S POLE	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
07995300	BGP292 LED94-4S/740 II DM11 CLO D9 48/60	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	44937700	BGP293 LED149-4S/740 I DM12 D9 SRG10 48/	Surge protection level until 10 kV
07996000	BGP292 LED22-4S/740 II DN10 SW302F CLO D	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	44946900	BGP293 LED120-4S/740 I DX10 7024 D9 48/6	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
07999100	BGP292 LED109-4S/740 II DM10 7043 D9 48/	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	05877400	BGP293 LED240-4S/740 I DM11 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
10013800	BGP292 LED120-4S/740 II DM11 CLO S05Z1Z1	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	05889700	BGP293 LED240-4S/740 I DM11 SRT SRB SRG1	Surge protection level until 10 kV
10014500	BGP292 LED22-4S/740 II DM12 SW302F CLO D	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	07896300	BGP293 LED100-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
10018300	BGP292 LED51-4S/740 I DX10 P148/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	07897000	BGP293 LED139-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
10026800	BGP292 LED39-4S/740 II DM12 SW302F CLO D	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	07898700	BGP293 LED180-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
10031200	BGP292 LED99-4S/740 I DX10 7024 D9 76S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	07899400	BGP293 LED240-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
10036700	BGP292 LED75-4S/740 I DX10 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	07909000	BGP293 LED170-4S/740 II DM11 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
10037400	BGP292 LED39-4S/740 II DN10 SW302F CLO D	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	07928100	BGP393 LED240-4S/740 II DM11 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
10038100	BGP292 LED51-4S/740 I DX10 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	07988500	BGP293 LED149-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
10061900	BGP292 LED18-4S/740 II DN10 SW302F CLO D	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	10024400	BGP293 LED139-4S/740 I DX10 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
10068800	BGP292 LED39-4S/740 II DW10 SW302F CLO D	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	10027500	BGP293 LED149-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
10069500	BGP292 LED75-4S/740 I DX10 ALU D9 76S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	10032900	BGP293 LED149-4S/740 I DX10 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
10073200	BGP292 LED65-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	10042800	BGP293 LED149-4S/740 II DW10 H07RN-F-2X1	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode

Order Code	Full Product Name	Surge Protection (Common/Differential)	Order Code	Full Product Name	Surge Protection (Common/Differential)
10054100	BGP293 LED139-4S/740 II DM10 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	10122700	BGP291 LED34-4S/830 II DM11 CLO 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
10058900	BGP293 LED84-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	10123400	BGP291 LED34-4S/830 II DM11 CLO-DDF1 D18	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
10060200	BGP293 LED149-4S/740 I DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	10124100	BGP291 LED44-4S/740 II DM11 CLO 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
10074900	BGP293 LED109-4S/740 I DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	10125800	BGP291 LED44-4S/740 II DM11 CLO-DDF1 D18	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
10165400	BGP293 LED80-4S/740 II DM11 CLO S05Z1Z1-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	10126500	BGP291 LED44-4S/830 II DM11 CLO 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
10166100	BGP293 LED100-4S/740 II DM11 CLO S05Z1Z1	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	10127200	BGP291 LED44-4S/830 II DM11 CLO-DDF1 D18	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
10167800	BGP293 LED120-4S/740 II DM11 CLO S05Z1Z1	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	10128900	BGP291 LED51-4S/740 II DM11 CLO 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
10168500	BGP293 LED149-4S/740 II DM11 CLO S05Z1Z1	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	10129600	BGP291 LED51-4S/740 II DM11 CLO-DDF1 D18	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
10189000	BGP293 LED100-4S/740 II DM11 CLO SRT 48/	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	10162300	BGP291 LED20-4S/740 II DM11 CLO S05Z1Z1-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
44945200	BGP291 LED39-4S/740 II DM50 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	10173900	BGP291 LED25-4S/830 II DM11 CLO S05Z1Z1-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
05875000	BGP291 LED50-4S/740 I DM11 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	10174600	BGP291 LED35-4S/740 II DM11 CLO S05Z1Z1-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
05887300	BGP291 LED50-4S/740 I DM11 SRT SRB SRG10	Surge protection level until 10 kV	10176000	BGP291 LED45-4S/740 II DM11 CLO S05Z1Z1-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
06041800	BGP291 LED8-4S/740 II DM50 D948/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	10187600	BGP291 LED45-4S/740 II DM11 CLO SRT 48/6	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
06042500	BGP291 LED20-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	10188300	BGP291 LED54-4S/740 II DM11 CLO SRT 48/6	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
06043200	BGP291 LED40-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	10191300	BGP291 LED20-4S/830 II DM11 CLO S05Z1Z1-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
06044900	BGP291 LED50-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	10192000	BGP291 LED25-4S/740 II DM11 CLO S05Z1Z1-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
06045600	BGP291 LED64-4S/740 II DM50 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	10195100	BGP291 LED35-4S/830 II DM11 CLO S05Z1Z1-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
07907600	BGP291 LED60-4S/740 II DM11 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	10196800	BGP291 LED45-4S/830 II DM11 CLO S05Z1Z1-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
07910600	BGP291 LED45-4S/740 II DM11 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	12558200	BGP291 LED45-4S/740 II DX10 D11 H07RN-F-	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
07911300	BGP291 LED60-4S/740 II DM11 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	12559900	BGP291 LED60-4S/740 II DX10 BL1 D11 H07R	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
07912000	BGP291 LED45-4S/740 II DM11 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	12562900	BGP291 LED25-4S/740 II DM11 48/76S POLE	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
07918200	BGP391 LED64-4S/740 II DM11 D9 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	12563600	BGP291 LED35-4S/740 II DM11 48/76S POLE	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
10045900	BGP291 LED44-4S/740 I DW50 CLO D9 P1 32/	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	05878100	BGP294 LED340-4S/740 I DM11 48/60S PLS	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
10120300	BGP291 LED34-4S/740 II DM11 CLO 48/60S	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode	07933500	BGP394 LED340-4S/740 II DM11 D9 48/60S P	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode
10121000	BGP291 LED34-4S/740 II DM11 CLO-DDF1 D18	Luminaire surge protection level until 6 kV differential mode and 8 kV common mode			

## Controls and Dimming



# LumiStreet gen2

Order Code	Full Product Name	Dimmable	Order Code	Full Product Name	Dimmable
44936000	BGP292 LED49-4S/740 I DX10 7024 D9 76S	Yes	12561200	BGP292 LED80-4S/740 II DX10 BL1 D11 H07R	Yes
44939100	BGP292 LED39-4S/740 II DN10 SW302F CLO D	Yes	12564300	BGP292 LED70-4S/740 II DM11 48/76S POLE	No
44943800	BGP292 LED99-4S/740 I DX10 7024 D9 48/60	Yes	12565000	BGP292 LED120-4S/740 II DM11 48/76S POLE	No
44949000	BGP292 LED14-4S/740 II DM12 SW302F CLO D	Yes	44937700	BGP293 LED149-4S/740 I DM12 D9 SRG10 48/	Yes
05876700	BGP292 LED120-4S/740 I DM11 48/60S	No	44946900	BGP293 LED120-4S/740 I DX10 7024 D9 48/6	Yes
06038800	BGP292 LED18-4S/740 I DM50 D948/60S	Yes	05877400	BGP293 LED240-4S/740 I DM11 48/60S	No
06039500	BGP292 LED22-4S/740 I DM50 D948/60S	Yes	05889700	BGP293 LED240-4S/740 I DM11 SRT SRB SRG1	No
06046300	BGP292 LED34-4S/740 II DM50 D9 48/60S	Yes	07896300	BGP293 LED100-4S/740 II DM50 D9 48/60S	Yes
06047000	BGP292 LED60-4S/740 II DM50 D9 48/60S	Yes	07897000	BGP293 LED139-4S/740 II DM50 D9 48/60S	Yes
06048700	BGP292 LED80-4S/740 II DM50 D9 48/60S	Yes	07898700	BGP293 LED180-4S/740 II DM50 D9 48/60S	Yes
06049400	BGP292 LED100-4S/740 II DM50 D9 48/60S	Yes	07899400	BGP293 LED240-4S/740 II DM50 D9 48/60S	Yes
07894900	BGP292 LED120-4S/740 II DM50 D9 48/60S	Yes	07909000	BGP293 LED170-4S/740 II DM11 48/60S	No
07905200	BGP292 LED120-4S/740 II DM11 48/60S	No	07928100	BGP393 LED240-4S/740 II DM11 D9 48/60S	Yes
07906900	BGP292 LED85-4S/740 II DM11 48/60S	No	07988500	BGP293 LED149-4S/740 II DM50 D9 48/60S	Yes
07908300	BGP292 LED85-4S/740 II DM11 48/60S	No	10024400	BGP293 LED139-4S/740 I DX10 48/60S	No
07923600	BGP392 LED120-4S/740 II DM11 D9 48/60S	Yes	10027500	BGP293 LED149-4S/740 II DM50 D9 48/60S	Yes
07963200	BGP292 LED75-4S/740 I DX10 7024 D9 48/60	Yes	10032900	BGP293 LED149-4S/740 I DX10 48/60S	No
07964900	BGP292 LED49-4S/740 I DX10 7024 D9 48/60	Yes	10042800	BGP293 LED149-4S/740 II DW10 H07RN-F-2X1	No
07965600	BGP292 LED27-4S/740 II DN10 SW302F CLO D	Yes	10054100	BGP293 LED139-4S/740 II DM10 48/60S	No
07967000	BGP292 LED99-4S/740 II DX10 7024 D9 48/6	Yes	10058900	BGP293 LED84-4S/740 II DM50 D9 48/60S	Yes
07968700	BGP292 LED34-4S/740 II DN10 SW302F CLO D	Yes	10060200	BGP293 LED149-4S/740 I DM50 D9 48/60S	Yes
07969400	BGP292 LED22-4S/740 II DM12 SW302F CLO D	Yes	10074900	BGP293 LED109-4S/740 I DM50 D9 48/60S	Yes
07970000	BGP292 LED75-4S/740 I DX10 7024 D9 76S	Yes	10165400	BGP293 LED80-4S/740 II DM11 CLO S05Z1Z1-	No
07977900	BGP292 LED18-4S/740 II DM12 SW302F CLO D	Yes	10166100	BGP293 LED100-4S/740 II DM11 CLO S05Z1Z1	No
07981600	BGP292 LED27-4S/740 II DN10 SW302F CLO D	Yes	10167800	BGP293 LED120-4S/740 II DM11 CLO S05Z1Z1	No
07986100	BGP292 LED85-4S/740 I DM10 D9SRG10 48/60	Yes	10168500	BGP293 LED149-4S/740 II DM11 CLO S05Z1Z1	No
07987800	BGP292 LED49-4S/740 II DM50 D9 48/60S	Yes	10189000	BGP293 LED100-4S/740 II DM11 CLO SRT 48/	No
07989200	BGP292 LED74-4S/740 II DM11 CLO S05Z1Z1-	No	44945200	BGP291 LED39-4S/740 II DM50 48/60S	No
07992200	BGP292 LED34-4S/740 II DN10 SW302F CLO D	Yes	05875000	BGP291 LED50-4S/740 I DM11 48/60S	No
07995300	BGP292 LED94-4S/740 II DM11 CLO D9 48/60	Yes	05887300	BGP291 LED50-4S/740 I DM11 SRT SRB SRG10	No
07996000	BGP292 LED22-4S/740 II DN10 SW302F CLO D	Yes	06041800	BGP291 LED8-4S/740 II DM50 D948/60S	Yes
07999100	BGP292 LED109-4S/740 II DM10 7043 D9 48/	Yes	06042500	BGP291 LED20-4S/740 II DM50 D9 48/60S	Yes
10013800	BGP292 LED120-4S/740 II DM11 CLO S05Z1Z1	No	06043200	BGP291 LED40-4S/740 II DM50 D9 48/60S	Yes
10014500	BGP292 LED22-4S/740 II DM12 SW302F CLO D	Yes	06044900	BGP291 LED50-4S/740 II DM50 D9 48/60S	Yes
10018300	BGP292 LED51-4S/740 I DX10 P148/60S	No	06045600	BGP291 LED64-4S/740 II DM50 D9 48/60S	Yes
10026800	BGP292 LED39-4S/740 II DM12 SW302F CLO D	Yes	07907600	BGP291 LED60-4S/740 II DM11 48/60S	No
10031200	BGP292 LED99-4S/740 I DX10 7024 D9 76S	Yes	07910600	BGP291 LED45-4S/740 II DM11 48/60S	No
10036700	BGP292 LED75-4S/740 I DX10 48/60S	No	07911300	BGP291 LED60-4S/740 II DM11 48/60S	No
10037400	BGP292 LED39-4S/740 II DN10 SW302F CLO D	Yes	07912000	BGP291 LED45-4S/740 II DM11 48/60S	No
10038100	BGP292 LED51-4S/740 I DX10 48/60S	No	07918200	BGP391 LED64-4S/740 II DM11 D9 48/60S	Yes
10061900	BGP292 LED18-4S/740 II DN10 SW302F CLO D	Yes	10045900	BGP291 LED44-4S/740 I DW50 CLO D9 P1 32/	Yes
10068800	BGP292 LED39-4S/740 II DW10 SW302F CLO D	Yes	10120300	BGP291 LED34-4S/740 II DM11 CLO 48/60S	No
10069500	BGP292 LED75-4S/740 I DX10 ALU D9 76S	Yes	10121000	BGP291 LED34-4S/740 II DM11 CLO-DDF1 D18	Yes
10073200	BGP292 LED65-4S/740 II DM50 D9 48/60S	Yes	10122700	BGP291 LED34-4S/830 II DM11 CLO 48/60S	No
10117300	BGP292 LED119-4S/740 II DM11 CLO 48/60S	No	10123400	BGP291 LED34-4S/830 II DM11 CLO-DDF1 D18	Yes
10163000	BGP292 LED54-4S/740 II DM11 CLO S05Z1Z1-	No	10124100	BGP291 LED44-4S/740 II DM11 CLO 48/60S	No
10164700	BGP292 LED64-4S/740 II DM11 CLO S05Z1Z1-	No	10125800	BGP291 LED44-4S/740 II DM11 CLO-DDF1 D18	Yes
10175300	BGP292 LED45-4S/830 II DM11 CLO S05Z1Z1-	No	10126500	BGP291 LED44-4S/830 II DM11 CLO 48/60S	No
10193700	BGP292 LED45-4S/740 II DM11 CLO S05Z1Z1-	No	10127200	BGP291 LED44-4S/830 II DM11 CLO-DDF1 D18	Yes
10197500	BGP292 LED35-4S/830 II DM11 CLO S05Z1Z1-	No	10128900	BGP291 LED51-4S/740 II DM11 CLO 48/60S	No
10204000	BGP292 LED35-4S/740 II DM11 CLO S05Z1Z1-	No	10129600	BGP291 LED51-4S/740 II DM11 CLO-DDF1 D18	Yes
12560500	BGP292 LED70-4S/740 II DX10 D11 H07RN-F-	Yes	10162300	BGP291 LED20-4S/740 II DM11 CLO S05Z1Z1-	No

Order Code	Full Product Name	Dimmable
10173900	BGP291 LED25-4S/830 II DM11 CLO S05ZIZ1-	No
10174600	BGP291 LED35-4S/740 II DM11 CLO S05ZIZ1-	No
10176000	BGP291 LED45-4S/740 II DM11 CLO S05ZIZ1-	No
10187600	BGP291 LED45-4S/740 II DM11 CLO SRT 48/6	No
10188300	BGP291 LED54-4S/740 II DM11 CLO SRT 48/6	No
10191300	BGP291 LED20-4S/830 II DM11 CLO S05ZIZ1-	No
10192000	BGP291 LED25-4S/740 II DM11 CLO S05ZIZ1-	No
10195100	BGP291 LED35-4S/830 II DM11 CLO S05ZIZ1-	No

Order Code	Full Product Name	Dimmable
10196800	BGP291 LED45-4S/830 II DM11 CLO S05ZIZ1-	No
12558200	BGP291 LED45-4S/740 II DX10 D11 H07RN-F-	Yes
12559900	BGP291 LED60-4S/740 II DX10 BL1 D11 H07R	Yes
12562900	BGP291 LED25-4S/740 II DM11 48/76S POLE	No
12563600	BGP291 LED35-4S/740 II DM11 48/76S POLE	No
05878100	BGP294 LED340-4S/740 I DM11 48/60S PLS	No
07933500	BGP394 LED340-4S/740 II DM11 D9 48/60S P	Yes

## General Information (1/2)

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Lamp family code	Number of gear units
44936000	BGP292 LED49-4S/740 I DX10 7024 D9 76S	150° - 43° x 67°	740 neutral white	LED49	1 unit
44939100	BGP292 LED39-4S/740 II DN10 SW302F CLO D	68° x 158°	740 neutral white	LED39	1 unit
44943800	BGP292 LED99-4S/740 I DX10 7024 D9 48/60	150° - 43° x 67°	740 neutral white	LED99	1 unit
44949000	BGP292 LED14-4S/740 II DM12 SW302F CLO D	53° x 71°	740 neutral white	LED14	1 unit
05876700	BGP292 LED120-4S/740 I DM11 48/60S	160° - 42° x 54°	740 neutral white	LED120	1 unit
06038800	BGP292 LED18-4S/740 I DM50 D948/60S	154° - 31° x 54°	740 neutral white	LED18	1 unit
06039500	BGP292 LED22-4S/740 I DM50 D948/60S	154° - 31° x 54°	740 neutral white	LED22	1 unit
06046300	BGP292 LED34-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	LED34	1 unit
06047000	BGP292 LED60-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	LED60	1 unit
06048700	BGP292 LED80-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	LED80	1 unit
06049400	BGP292 LED100-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	LED100	1 unit
07894900	BGP292 LED120-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	LED120	1 unit

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Lamp family code	Number of gear units
07905200	BGP292 LED120-4S/740 II DM11 48/60S	160° - 42° x 54°	740 neutral white	LED120	1 unit
07906900	BGP292 LED85-4S/740 II DM11 48/60S	160° - 42° x 54°	740 neutral white	LED85	1 unit
07908300	BGP292 LED85-4S/740 II DM11 48/60S	160° - 42° x 54°	740 neutral white	LED85	1 unit
07923600	BGP392 LED120-4S/740 II DM11 D9 48/60S	160° - 42° x 54°	740 neutral white	LED120	1 unit
07963200	BGP292 LED75-4S/740 I DX10 7024 D9 48/60	150° - 43° x 67°	740 neutral white	LED75	1 unit
07964900	BGP292 LED49-4S/740 I DX10 7024 D9 48/60	150° - 43° x 67°	740 neutral white	LED49	1 unit
07965600	BGP292 LED27-4S/740 II DN10 SW302F CLO D	68° x 158°	740 neutral white	LED27	1 unit
07967000	BGP292 LED99-4S/740 II DX10 7024 D9 48/6	150° - 43° x 67°	740 neutral white	LED99	1 unit
07968700	BGP292 LED34-4S/740 II DN10 SW302F CLO D	68° x 158°	740 neutral white	LED34	1 unit
07969400	BGP292 LED22-4S/740 II DM12 SW302F CLO D	53° x 71°	740 neutral white	LED22	1 unit
07970000	BGP292 LED75-4S/740 I DX10 7024 D9 76S	150° - 43° x 67°	740 neutral white	LED75	1 unit
07977900	BGP292 LED18-4S/740 II DM12 SW302F CLO D	53° x 71°	740 neutral white	LED18	1 unit

## LumiStreet gen2

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Lamp family code	Number of gear units
07981600	BGP292 LED27-4S/740 II DN10 SW302F CLO D	68° x 158°	740 neutral white	LED27	1 unit
07986100	BGP292 LED85-4S/740 I DM10 D9SRG10 48/60	157° - 33° x 55°	740 neutral white	LED85	1 unit
07987800	BGP292 LED49-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	LED49	1 unit
07989200	BGP292 LED74-4S/740 II DM11 CLO S05Z1Z1-	160° - 42° x 54°	740 neutral white	LED74	1 unit
07992200	BGP292 LED34-4S/740 II DN10 SW302F CLO D	68° x 158°	740 neutral white	LED34	1 unit
07995300	BGP292 LED94-4S/740 II DM11 CLO D9 48/60	160° - 42° x 54°	740 neutral white	LED94	1 unit
07996000	BGP292 LED22-4S/740 II DN10 SW302F CLO D	68° x 158°	740 neutral white	LED22	1 unit
07999100	BGP292 LED109-4S/740 II DM10 7043 D9 48/	157° - 33° x 55°	740 neutral white	LED109	1 unit
10013800	BGP292 LED120-4S/740 II DM11 CLO S05Z1Z1	160° - 42° x 54°	740 neutral white	LED120	1 unit
10014500	BGP292 LED22-4S/740 II DM12 SW302F CLO D	53° x 71°	740 neutral white	LED22	1 unit
10018300	BGP292 LED51-4S/740 I DX10 P148/60S	150° - 43° x 67°	740 neutral white	LED51	1 unit
10026800	BGP292 LED39-4S/740 II DM12 SW302F CLO D	53° x 71°	740 neutral white	LED39	1 unit
10031200	BGP292 LED99-4S/740 I DX10 7024 D9 76S	150° - 43° x 67°	740 neutral white	LED99	1 unit
10036700	BGP292 LED75-4S/740 I DX10 48/60S	150° - 43° x 67°	740 neutral white	LED75	1 unit
10037400	BGP292 LED39-4S/740 II DN10 SW302F CLO D	68° x 158°	740 neutral white	LED39	1 unit
10038100	BGP292 LED51-4S/740 I DX10 48/60S	150° - 43° x 67°	740 neutral white	LED51	1 unit

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Lamp family code	Number of gear units
10061900	BGP292 LED18-4S/740 II DN10 SW302F CLO D	68° x 158°	740 neutral white	LED18	1 unit
10068800	BGP292 LED39-4S/740 II DW10 SW302F CLO D	61° x 150°	740 neutral white	LED39	1 unit
10069500	BGP292 LED75-4S/740 I DX10 ALU D9 76S	150° - 43° x 67°	740 neutral white	LED75	1 unit
10073200	BGP292 LED65-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	LED65	1 unit
10117300	BGP292 LED119-4S/740 II DM11 CLO 48/60S	160° - 42° x 54°	740 neutral white	LED119	1 unit
10163000	BGP292 LED54-4S/740 II DM11 CLO S05Z1Z1-	160° - 42° x 54°	740 neutral white	LED54	1 unit
10164700	BGP292 LED64-4S/740 II DM11 CLO S05Z1Z1-	160° - 42° x 54°	740 neutral white	LED64	1 unit
10175300	BGP292 LED45-4S/830 II DM11 CLO S05Z1Z1-	160° - 42° x 54°	830 warm white	LED45	1 unit
10193700	BGP292 LED45-4S/740 II DM11 CLO S05Z1Z1-	160° - 42° x 54°	740 neutral white	LED45	1 unit
10197500	BGP292 LED35-4S/830 II DM11 CLO S05Z1Z1-	160° - 42° x 54°	830 warm white	LED35	1 unit
10204000	BGP292 LED35-4S/740 II DM11 CLO S05Z1Z1-	160° - 42° x 54°	740 neutral white	LED35	1 unit
12560500	BGP292 LED70-4S/740 II DX10 D11 H07RN-F-	150° - 43° x 67°	740 neutral white	LED70	1 unit
12561200	BGP292 LED80-4S/740 II DX10 BL1 D11 H07R	150° - 43° x 67°	740 neutral white	LED80	1 unit
12564300	BGP292 LED70-4S/740 II DM11 48/76S POLE	160° - 42° x 54°	740 neutral white	LED70	1 unit
12565000	BGP292 LED120-4S/740 II DM11 48/76S POLE	160° - 42° x 54°	740 neutral white	LED120	1 unit
44937700	BGP293 LED149-4S/740 I DM12 D9 SRG10 48/	53° x 71°	740 neutral white	LED149	1 unit

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Lamp family code	Number of gear units
44946900	BGP293 LED120-4S/740 I DX10 7024 D9 48/6	150° - 43° x 67°	740 neutral white	LED120	1 unit
05877400	BGP293 LED240-4S/740 I DM11 48/60S	160° - 42° x 54°	740 neutral white	LED240	1 unit
05889700	BGP293 LED240-4S/740 I DM11 SRT SRB SRG1	160° - 42° x 54°	740 neutral white	LED240	1 unit
07896300	BGP293 LED100-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	LED100	1 unit
07897000	BGP293 LED139-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	LED139	1 unit
07898700	BGP293 LED180-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	LED180	1 unit
07899400	BGP293 LED240-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	LED240	1 unit
07909000	BGP293 LED170-4S/740 II DM11 48/60S	160° - 42° x 54°	740 neutral white	LED170	1 unit
07928100	BGP393 LED240-4S/740 II DM11 D9 48/60S	160° - 42° x 54°	740 neutral white	LED240	1 unit
07988500	BGP293 LED149-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	LED149	1 unit
10024400	BGP293 LED139-4S/740 I DX10 48/60S	150° - 43° x 67°	740 neutral white	LED139	1 unit
10027500	BGP293 LED149-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	LED149	1 unit
10032900	BGP293 LED149-4S/740 I DX10 48/60S	150° - 43° x 67°	740 neutral white	LED149	1 unit
10042800	BGP293 LED149-4S/740 II DW10 H07RN-F-2X1	61° x 150°	740 neutral white	LED149	1 unit
10054100	BGP293 LED139-4S/740 II DM10 48/60S	157° - 33° x 55°	740 neutral white	LED139	1 unit
10058900	BGP293 LED84-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	LED84	1 unit

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Lamp family code	Number of gear units
10060200	BGP293 LED149-4S/740 I DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	LED149	1 unit
10074900	BGP293 LED109-4S/740 I DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	LED109	1 unit
10165400	BGP293 LED80-4S/740 II DM11 CLO S05Z1Z1-	160° - 42° x 54°	740 neutral white	LED80	1 unit
10166100	BGP293 LED100-4S/740 II DM11 CLO S05Z1Z1	160° - 42° x 54°	740 neutral white	LED100	1 unit
10167800	BGP293 LED120-4S/740 II DM11 CLO S05Z1Z1	160° - 42° x 54°	740 neutral white	LED120	1 unit
10168500	BGP293 LED149-4S/740 II DM11 CLO S05Z1Z1	160° - 42° x 54°	740 neutral white	LED149	1 unit
10189000	BGP293 LED100-4S/740 II DM11 CLO SRT 48/	160° - 42° x 54°	740 neutral white	LED100	1 unit
44945200	BGP291 LED39-4S/740 II DM50 48/60S	154° - 31° x 54°	740 neutral white	LED39	1 unit
05875000	BGP291 LED50-4S/740 I DM11 48/60S	160° - 42° x 54°	740 neutral white	LED50	1 unit
05887300	BGP291 LED50-4S/740 I DM11 SRT SRB SRG10	160° - 42° x 54°	740 neutral white	LED50	1 unit
06041800	BGP291 LED8-4S/740 II DM50 D948/60S	154° - 31° x 54°	740 neutral white	LED8	1 unit
06042500	BGP291 LED20-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	LED20	1 unit
06043200	BGP291 LED40-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	LED40	1 unit
06044900	BGP291 LED50-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	LED50	1 unit
06045600	BGP291 LED64-4S/740 II DM50 D9 48/60S	154° - 31° x 54°	740 neutral white	LED64	1 unit
07907600	BGP291 LED60-4S/740 II DM11 48/60S	160° - 42° x 54°	740 neutral white	LED60	1 unit

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Lamp family code	Number of gear units
07910600	BGP291 LED45-4S/740 II DM11 48/60S	160° - 42° x 54°	740 neutral white	LED45	1 unit
07911300	BGP291 LED60-4S/740 II DM11 48/60S	160° - 42° x 54°	740 neutral white	LED60	1 unit
07912000	BGP291 LED45-4S/740 II DM11 48/60S	160° - 42° x 54°	740 neutral white	LED45	1 unit
07918200	BGP391 LED64-4S/740 II DM11 D9 48/60S	160° - 42° x 54°	740 neutral white	LED64	1 unit
10045900	BGP291 LED44-4S/740 I DW50 CLO D9 P1 32/	152° - 24° x 66°	740 neutral white	LED44	1 unit
10120300	BGP291 LED34-4S/740 II DM11 CLO 48/60S	160° - 42° x 54°	740 neutral white	LED34	1 unit
10121000	BGP291 LED34-4S/740 II DM11 CLO-DDF1 D18	160° - 42° x 54°	740 neutral white	LED34	1 unit
10122700	BGP291 LED34-4S/830 II DM11 CLO 48/60S	160° - 42° x 54°	830 warm white	LED34	1 unit
10123400	BGP291 LED34-4S/830 II DM11 CLO-DDF1 D18	160° - 42° x 54°	830 warm white	LED34	1 unit
10124100	BGP291 LED44-4S/740 II DM11 CLO 48/60S	160° - 42° x 54°	740 neutral white	LED44	1 unit
10125800	BGP291 LED44-4S/740 II DM11 CLO-DDF1 D18	160° - 42° x 54°	740 neutral white	LED44	1 unit
10126500	BGP291 LED44-4S/830 II DM11 CLO 48/60S	160° - 42° x 54°	830 warm white	LED44	1 unit
10127200	BGP291 LED44-4S/830 II DM11 CLO-DDF1 D18	160° - 42° x 54°	830 warm white	LED44	1 unit
10128900	BGP291 LED51-4S/740 II DM11 CLO 48/60S	160° - 42° x 54°	740 neutral white	LED51	1 unit
10129600	BGP291 LED51-4S/740 II DM11 CLO-DDF1 D18	160° - 42° x 54°	740 neutral white	LED51	1 unit
10162300	BGP291 LED20-4S/740 II DM11 CLO S05Z1Z1-	160° - 42° x 54°	740 neutral white	LED20	1 unit

Order Code	Full Product Name	Luminaire light beam spread	Light source color	Lamp family code	Number of gear units
10173900	BGP291 LED25-4S/830 II DM11 CLO S05Z1Z1-	160° - 42° x 54°	830 warm white	LED25	1 unit
10174600	BGP291 LED35-4S/740 II DM11 CLO S05Z1Z1-	160° - 42° x 54°	740 neutral white	LED35	1 unit
10176000	BGP291 LED45-4S/740 II DM11 CLO S05Z1Z1-	160° - 42° x 54°	740 neutral white	LED45	1 unit
10187600	BGP291 LED45-4S/740 II DM11 CLO SRT 48/6	160° - 42° x 54°	740 neutral white	LED45	1 unit
10188300	BGP291 LED54-4S/740 II DM11 CLO SRT 48/6	160° - 42° x 54°	740 neutral white	LED54	1 unit
10191300	BGP291 LED20-4S/830 II DM11 CLO S05Z1Z1-	160° - 42° x 54°	830 warm white	LED20	1 unit
10192000	BGP291 LED25-4S/740 II DM11 CLO S05Z1Z1-	160° - 42° x 54°	740 neutral white	LED25	1 unit
10195100	BGP291 LED35-4S/830 II DM11 CLO S05Z1Z1-	160° - 42° x 54°	830 warm white	LED35	1 unit
10196800	BGP291 LED45-4S/830 II DM11 CLO S05Z1Z1-	160° - 42° x 54°	830 warm white	LED45	1 unit
12558200	BGP291 LED45-4S/740 II DX10 D11 H07RN-F-	150° - 43° x 67°	740 neutral white	LED45	1 unit
12559900	BGP291 LED60-4S/740 II DX10 BL1 D11 H07R	150° - 43° x 67°	740 neutral white	LED60	1 unit
12562900	BGP291 LED25-4S/740 II DM11 48/76S POLE	160° - 42° x 54°	740 neutral white	LED25	1 unit
12563600	BGP291 LED35-4S/740 II DM11 48/76S POLE	160° - 42° x 54°	740 neutral white	LED35	1 unit
05878100	BGP294 LED340-4S/740 I DM11 48/60S PLS	160° - 42° x 54°	740 neutral white	LED340	2 units
07933500	BGP394 LED340-4S/740 II DM11 D9 48/60S P	160° - 42° x 54°	740 neutral white	LED340	2 units

## General Information (2/2)

Order Code	Full Product Name	Optic type	Product Family Code
44936000	BGP292 LED49-4S/740 I DX10 7024 D9 76S	Distribution extra wide 10	BGP292
44939100	BGP292 LED39-4S/740 II DN10 SW302F CLO D	Distribution narrow 10	BGP292
44943800	BGP292 LED99-4S/740 I DX10 7024 D9 48/60	Distribution extra wide 10	BGP292
44949000	BGP292 LED14-4S/740 II DM12 SW302F CLO D	Distribution medium 12	BGP292
05876700	BGP292 LED120-4S/740 I DM11 48/60S	Distribution medium 11	BGP292
06038800	BGP292 LED18-4S/740 I DM50 D948/60S	Distribution medium 50	BGP292
06039500	BGP292 LED22-4S/740 I DM50 D948/60S	Distribution medium 50	BGP292
06046300	BGP292 LED34-4S/740 II DM50 D9 48/60S	Distribution medium 50	BGP292
06047000	BGP292 LED60-4S/740 II DM50 D9 48/60S	Distribution medium 50	BGP292
06048700	BGP292 LED80-4S/740 II DM50 D9 48/60S	Distribution medium 50	BGP292
06049400	BGP292 LED100-4S/740 II DM50 D9 48/60S	Distribution medium 50	BGP292
07894900	BGP292 LED120-4S/740 II DM50 D9 48/60S	Distribution medium 50	BGP292
07905200	BGP292 LED120-4S/740 II DM11 48/60S	Distribution medium 11	BGP292
07906900	BGP292 LED85-4S/740 II DM11 48/60S	Distribution medium 11	BGP292
07908300	BGP292 LED85-4S/740 II DM11 48/60S	Distribution medium 11	BGP292
07923600	BGP392 LED120-4S/740 II DM11 D9 48/60S	Distribution medium 11	BGP392
07963200	BGP292 LED75-4S/740 I DX10 7024 D9 48/60	Distribution extra wide 10	BGP292
07964900	BGP292 LED49-4S/740 I DX10 7024 D9 48/60	Distribution extra wide 10	BGP292
07965600	BGP292 LED27-4S/740 II DN10 SW302F CLO D	Distribution narrow 10	BGP292
07967000	BGP292 LED99-4S/740 II DX10 7024 D9 48/6	Distribution extra wide 10	BGP292
07968700	BGP292 LED34-4S/740 II DN10 SW302F CLO D	Distribution narrow 10	BGP292
07969400	BGP292 LED22-4S/740 II DM12 SW302F CLO D	Distribution medium 12	BGP292
07970000	BGP292 LED75-4S/740 I DX10 7024 D9 76S	Distribution extra wide 10	BGP292
07977900	BGP292 LED18-4S/740 II DM12 SW302F CLO D	Distribution medium 12	BGP292
07981600	BGP292 LED27-4S/740 II DN10 SW302F CLO D	Distribution narrow 10	BGP292

Order Code	Full Product Name	Optic type	Product Family Code
07986100	BGP292 LED85-4S/740 I DM10 D9SRG10 48/60	Distribution medium 10	BGP292
07987800	BGP292 LED49-4S/740 II DM50 D9 48/60S	Distribution medium 50	BGP292
07989200	BGP292 LED74-4S/740 II DM11 CLO S05Z1Z1-	Distribution medium 11	BGP292
07992200	BGP292 LED34-4S/740 II DN10 SW302F CLO D	Distribution narrow 10	BGP292
07995300	BGP292 LED94-4S/740 II DM11 CLO D9 48/60	Distribution medium 11	BGP292
07996000	BGP292 LED22-4S/740 II DN10 SW302F CLO D	Distribution narrow 10	BGP292
07999100	BGP292 LED109-4S/740 II DM10 7043 D9 48/	Distribution medium 10	BGP292
10013800	BGP292 LED120-4S/740 II DM11 CLO S05Z1Z1	Distribution medium 11	BGP292
10014500	BGP292 LED22-4S/740 II DM12 SW302F CLO D	Distribution medium 12	BGP292
10018300	BGP292 LED51-4S/740 I DX10 P148/60S	Distribution extra wide 10	BGP292
10026800	BGP292 LED39-4S/740 II DM12 SW302F CLO D	Distribution medium 12	BGP292
10031200	BGP292 LED99-4S/740 I DX10 7024 D9 76S	Distribution extra wide 10	BGP292
10036700	BGP292 LED75-4S/740 I DX10 48/60S	Distribution extra wide 10	BGP292
10037400	BGP292 LED39-4S/740 II DN10 SW302F CLO D	Distribution narrow 10	BGP292
10038100	BGP292 LED51-4S/740 I DX10 48/60S	Distribution extra wide 10	BGP292
10061900	BGP292 LED18-4S/740 II DN10 SW302F CLO D	Distribution narrow 10	BGP292
10068800	BGP292 LED39-4S/740 II DW10 SW302F CLO D	Distribution wide 10	BGP292
10069500	BGP292 LED75-4S/740 I DX10 ALU D9 76S	Distribution extra wide 10	BGP292
10073200	BGP292 LED65-4S/740 II DM50 D9 48/60S	Distribution medium 50	BGP292
10117300	BGP292 LED119-4S/740 II DM11 CLO 48/60S	Distribution medium 11	BGP292
10163000	BGP292 LED54-4S/740 II DM11 CLO S05Z1Z1-	Distribution medium 11	BGP292
10164700	BGP292 LED64-4S/740 II DM11 CLO S05Z1Z1-	Distribution medium 11	BGP292
10175300	BGP292 LED45-4S/830 II DM11 CLO S05Z1Z1-	Distribution medium 11	BGP292
10193700	BGP292 LED45-4S/740 II DM11 CLO S05Z1Z1-	Distribution medium 11	BGP292
10197500	BGP292 LED35-4S/830 II DM11 CLO S05Z1Z1-	Distribution medium 11	BGP292

Order Code	Full Product Name	Optic type	Product Family Code
10204000	BGP292 LED35-4S/740 II DM11 CLO S05Z1Z1-	Distribution medium 11	BGP292
12560500	BGP292 LED70-4S/740 II DX10 D11 H07RN-F-	Distribution extra wide 10	BGP292
12561200	BGP292 LED80-4S/740 II DX10 BL1 D11 H07R	Distribution extra wide 10	BGP292
12564300	BGP292 LED70-4S/740 II DM11 48/76S POLE	Distribution medium 11	BGP292
12565000	BGP292 LED120-4S/740 II DM11 48/76S POLE	Distribution medium 11	BGP292
44937700	BGP293 LED149-4S/740 I DM12 D9 SRG10 48/	Distribution medium 12	BGP293
44946900	BGP293 LED120-4S/740 I DX10 7024 D9 48/6	Distribution extra wide 10	BGP293
05877400	BGP293 LED240-4S/740 I DM11 48/60S	Distribution medium 11	BGP293
05889700	BGP293 LED240-4S/740 I DM11 SRT SRB SRG1	Distribution medium 11	BGP293
07896300	BGP293 LED100-4S/740 II DM50 D9 48/60S	Distribution medium 50	BGP293
07897000	BGP293 LED139-4S/740 II DM50 D9 48/60S	Distribution medium 50	BGP293
07898700	BGP293 LED180-4S/740 II DM50 D9 48/60S	Distribution medium 50	BGP293
07899400	BGP293 LED240-4S/740 II DM50 D9 48/60S	Distribution medium 50	BGP293
07909000	BGP293 LED170-4S/740 II DM11 48/60S	Distribution medium 11	BGP293
07928100	BGP393 LED240-4S/740 II DM11 D9 48/60S	Distribution medium 11	BGP393
07988500	BGP293 LED149-4S/740 II DM50 D9 48/60S	Distribution medium 50	BGP293
10024400	BGP293 LED139-4S/740 I DX10 48/60S	Distribution extra wide 10	BGP293
10027500	BGP293 LED149-4S/740 II DM50 D9 48/60S	Distribution medium 50	BGP293
10032900	BGP293 LED149-4S/740 I DX10 48/60S	Distribution extra wide 10	BGP293
10042800	BGP293 LED149-4S/740 II DW10 H07RN-F-2X1	Distribution wide 10	BGP293
10054100	BGP293 LED139-4S/740 II DM10 48/60S	Distribution medium 10	BGP293
10058900	BGP293 LED84-4S/740 II DM50 D9 48/60S	Distribution medium 50	BGP293
10060200	BGP293 LED149-4S/740 I DM50 D9 48/60S	Distribution medium 50	BGP293
10074900	BGP293 LED109-4S/740 I DM50 D9 48/60S	Distribution medium 50	BGP293
10165400	BGP293 LED80-4S/740 II DM11 CLO S05Z1Z1-	Distribution medium 11	BGP293

Order Code	Full Product Name	Optic type	Product Family Code
10166100	BGP293 LED100-4S/740 II DM11 CLO S05Z1Z1	Distribution medium 11	BGP293
10167800	BGP293 LED120-4S/740 II DM11 CLO S05Z1Z1	Distribution medium 11	BGP293
10168500	BGP293 LED149-4S/740 II DM11 CLO S05Z1Z1	Distribution medium 11	BGP293
10189000	BGP293 LED100-4S/740 II DM11 CLO SRT 48/	Distribution medium 11	BGP293
44945200	BGP291 LED39-4S/740 II DM50 48/60S	Distribution medium 50	BGP291
05875000	BGP291 LED50-4S/740 I DM11 48/60S	Distribution medium 11	BGP291
05887300	BGP291 LED50-4S/740 I DM11 SRT SRB SRG10	Distribution medium 11	BGP291
06041800	BGP291 LED8-4S/740 II DM50 D948/60S	Distribution medium 50	BGP291
06042500	BGP291 LED20-4S/740 II DM50 D9 48/60S	Distribution medium 50	BGP291
06043200	BGP291 LED40-4S/740 II DM50 D9 48/60S	Distribution medium 50	BGP291
06044900	BGP291 LED50-4S/740 II DM50 D9 48/60S	Distribution medium 50	BGP291
06045600	BGP291 LED64-4S/740 II DM50 D9 48/60S	Distribution medium 50	BGP291
07907600	BGP291 LED60-4S/740 II DM11 48/60S	Distribution medium 11	BGP291
07910600	BGP291 LED45-4S/740 II DM11 48/60S	Distribution medium 11	BGP291
07911300	BGP291 LED60-4S/740 II DM11 48/60S	Distribution medium 11	BGP291
07912000	BGP291 LED45-4S/740 II DM11 48/60S	Distribution medium 11	BGP291
07918200	BGP391 LED64-4S/740 II DM11 D9 48/60S	Distribution medium 11	BGP391
10045900	BGP291 LED44-4S/740 I DW50 CLO D9 P1 32/	Distribution wide 50	BGP291
10120300	BGP291 LED34-4S/740 II DM11 CLO 48/60S	Distribution medium 11	BGP291
10121000	BGP291 LED34-4S/740 II DM11 CLO-DDF1 D18	Distribution medium 11	BGP291
10122700	BGP291 LED34-4S/830 II DM11 CLO 48/60S	Distribution medium 11	BGP291
10123400	BGP291 LED34-4S/830 II DM11 CLO-DDF1 D18	Distribution medium 11	BGP291
10124100	BGP291 LED44-4S/740 II DM11 CLO 48/60S	Distribution medium 11	BGP291
10125800	BGP291 LED44-4S/740 II DM11 CLO-DDF1 D18	Distribution medium 11	BGP291
10126500	BGP291 LED44-4S/830 II DM11 CLO 48/60S	Distribution medium 11	BGP291

Order Code	Full Product Name	Optic type	Product Family Code
10127200	BGP291 LED44-4S/830 II DM11 CLO- DDF1 D18	Distribution medium 11	BGP291
10128900	BGP291 LED51-4S/740 II DM11 CLO 48/60S	Distribution medium 11	BGP291
10129600	BGP291 LED51-4S/740 II DM11 CLO- DDF1 D18	Distribution medium 11	BGP291
10162300	BGP291 LED20-4S/740 II DM11 CLO S05Z1Z1-	Distribution medium 11	BGP291
10173900	BGP291 LED25-4S/830 II DM11 CLO S05Z1Z1-	Distribution medium 11	BGP291
10174600	BGP291 LED35-4S/740 II DM11 CLO S05Z1Z1-	Distribution medium 11	BGP291
10176000	BGP291 LED45-4S/740 II DM11 CLO S05Z1Z1-	Distribution medium 11	BGP291
10187600	BGP291 LED45-4S/740 II DM11 CLO SRT 48/6	Distribution medium 11	BGP291
10188300	BGP291 LED54-4S/740 II DM11 CLO SRT 48/6	Distribution medium 11	BGP291
10191300	BGP291 LED20-4S/830 II DM11 CLO S05Z1Z1-	Distribution medium 11	BGP291

Order Code	Full Product Name	Optic type	Product Family Code
10192000	BGP291 LED25-4S/740 II DM11 CLO S05Z1Z1-	Distribution medium 11	BGP291
10195100	BGP291 LED35-4S/830 II DM11 CLO S05Z1Z1-	Distribution medium 11	BGP291
10196800	BGP291 LED45-4S/830 II DM11 CLO S05Z1Z1-	Distribution medium 11	BGP291
12558200	BGP291 LED45-4S/740 II DX10 D11 H07RN-F-	Distribution extra wide 10	BGP291
12559900	BGP291 LED60-4S/740 II DX10 BL1 D11 H07R	Distribution extra wide 10	BGP291
12562900	BGP291 LED25-4S/740 II DM11 48/76S POLE	Distribution medium 32	BGP291
12563600	BGP291 LED35-4S/740 II DM11 48/76S POLE	Distribution medium 11	BGP291
05878100	BGP294 LED340-4S/740 I DM11 48/60S PLS	Distribution medium 11	BGP294
07933500	BGP394 LED340-4S/740 II DM11 D9 48/60S P	Distribution medium 11	BGP394

## Initial Performance (IEC Compliant)

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial luminous flux
44936000	BGP292 LED49-4S/740 I DX10 7024 D9 76S	4000 K	70	4165 lm
44939100	BGP292 LED39-4S/740 II DN10 SW302F CLO D	4000 K	70	3420 lm
44943800	BGP292 LED99-4S/740 I DX10 7024 D9 48/60	4000 K	70	8300 lm
44949000	BGP292 LED14-4S/740 II DM12 SW302F CLO D	4000 K	70	1215 lm
05876700	BGP292 LED120-4S/740 I DM11 48/60S	4000 K	70	10440 lm
06038800	BGP292 LED18-4S/740 I DM50 D948/60S	4000 K	70	1584 lm
06039500	BGP292 LED22-4S/740 I DM50 D948/60S	4000 K	70	1936 lm
06046300	BGP292 LED34-4S/740 II DM50 D9 48/60S	4000 K	70	2992 lm
06047000	BGP292 LED60-4S/740 II DM50 D9 48/60S	4000 K	70	5220 lm
06048700	BGP292 LED80-4S/740 II DM50 D9 48/60S	4000 K	70	6880 lm
06049400	BGP292 LED100-4S/740 II DM50 D9 48/60S	4000 K	70	8500 lm
07894900	BGP292 LED120-4S/740 II DM50 D9 48/60S	4000 K	70	10200 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial luminous flux
07905200	BGP292 LED120-4S/740 II DM11 48/60S	4000 K	70	10440 lm
07906900	BGP292 LED85-4S/740 II DM11 48/60S	4000 K	70	7568 lm
07908300	BGP292 LED85-4S/740 II DM11 48/60S	4000 K	70	7568 lm
07923600	BGP392 LED120-4S/740 II DM11 D9 48/60S	4000 K	70	10440 lm
07963200	BGP292 LED75-4S/740 I DX10 7024 D9 48/60	4000 K	70	6460 lm
07964900	BGP292 LED49-4S/740 I DX10 7024 D9 48/60	4000 K	70	4165 lm
07965600	BGP292 LED27-4S/740 II DN10 SW302F CLO D	4000 K	70	2430 lm
07967000	BGP292 LED99-4S/740 II DX10 7024 D9 48/6	4000 K	70	8300 lm
07968700	BGP292 LED34-4S/740 II DN10 SW302F CLO D	4000 K	70	2970 lm
07969400	BGP292 LED22-4S/740 II DM12 SW302F CLO D	4000 K	70	1890 lm
07970000	BGP292 LED75-4S/740 I DX10 7024 D9 76S	4000 K	70	6460 lm
07977900	BGP292 LED18-4S/740 II DM12 SW302F CLO D	4000 K	70	1575 lm



Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial luminous flux
07981600	BGP292 LED27-4S/740 II DN10 SW302F CLO D	4000 K	70	2430 lm
07986100	BGP292 LED85-4S/740 I DM10 D9SRG10 48/60	4000 K	70	7482 lm
07987800	BGP292 LED49-4S/740 II DM50 D9 48/60S	4000 K	70	4263 lm
07989200	BGP292 LED74-4S/740 II DM11 CLO S05Z1Z1-	4000 K	70	6408 lm
07992200	BGP292 LED34-4S/740 II DN10 SW302F CLO D	4000 K	70	2970 lm
07995300	BGP292 LED94-4S/740 II DM11 CLO D9 48/60	4000 K	70	7920 lm
07996000	BGP292 LED22-4S/740 II DN10 SW302F CLO D	4000 K	70	1890 lm
07999100	BGP292 LED109-4S/740 II DM10 7043 D9 48/	4000 K	70	9570 lm
10013800	BGP292 LED120-4S/740 II DM11 CLO S05Z1Z1	4000 K	70	10005 lm
10014500	BGP292 LED22-4S/740 II DM12 SW302F CLO D	4000 K	70	1890 lm
10018300	BGP292 LED51-4S/740 I DX10 P148/60S	4000 K	70	4420 lm
10026800	BGP292 LED39-4S/740 II DM12 SW302F CLO D	4000 K	70	3420 lm
10031200	BGP292 LED99-4S/740 I DX10 7024 D9 76S	4000 K	70	8300 lm
10036700	BGP292 LED75-4S/740 I DX10 48/60S	4000 K	70	6460 lm
10037400	BGP292 LED39-4S/740 II DN10 SW302F CLO D	4000 K	70	3420 lm
10038100	BGP292 LED51-4S/740 I DX10 48/60S	4000 K	70	4420 lm
10061900	BGP292 LED18-4S/740 II DN10 SW302F CLO D	4000 K	70	1575 lm
10068800	BGP292 LED39-4S/740 II DW10 SW302F CLO D	4000 K	70	3382 lm
10069500	BGP292 LED75-4S/740 I DX10 ALU D9 76S	4000 K	70	6460 lm
10073200	BGP292 LED65-4S/740 II DM50 D9 48/60S	4000 K	70	5742 lm
10117300	BGP292 LED119-4S/740 II DM11 CLO 48/60S	4000 K	70	10005 lm
10163000	BGP292 LED54-4S/740 II DM11 CLO S05Z1Z1-	4000 K	70	4628 lm
10164700	BGP292 LED64-4S/740 II DM11 CLO S05Z1Z1-	4000 K	70	5518 lm
10175300	BGP292 LED45-4S/830 II DM11 CLO S05Z1Z1-	3000 K	80	3827 lm
10193700	BGP292 LED45-4S/740 II DM11 CLO S05Z1Z1-	4000 K	70	3916 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial luminous flux
10197500	BGP292 LED35-4S/830 II DM11 CLO S05Z1Z1-	3000 K	80	3026 lm
10204000	BGP292 LED35-4S/740 II DM11 CLO S05Z1Z1-	4000 K	70	3026 lm
12560500	BGP292 LED70-4S/740 II DX10 D11 H07RN-F-	4000 K	70	5950 lm
12561200	BGP292 LED80-4S/740 II DX10 BL1 D11 H07R	4000 K	70	6720 lm
12564300	BGP292 LED70-4S/740 II DM11 48/76S POLE	4000 K	70	6230 lm
12565000	BGP292 LED120-4S/740 II DM11 48/76S POLE	4000 K	70	10440 lm
44937700	BGP293 LED149-4S/740 I DM12 D9 SRG10 48/	4000 K	70	13200 lm
44946900	BGP293 LED120-4S/740 I DX10 7024 D9 48/6	4000 K	70	10200 lm
05877400	BGP293 LED240-4S/740 I DM11 48/60S	4000 K	70	20640 lm
05889700	BGP293 LED240-4S/740 I DM11 SRT SRB SRG1	4000 K	70	20640 lm
07896300	BGP293 LED100-4S/740 II DM50 D9 48/60S	4000 K	70	8700 lm
07897000	BGP293 LED139-4S/740 II DM50 D9 48/60S	4000 K	70	12040 lm
07898700	BGP293 LED180-4S/740 II DM50 D9 48/60S	4000 K	70	15300 lm
07899400	BGP293 LED240-4S/740 II DM50 D9 48/60S	4000 K	70	20160 lm
07909000	BGP293 LED170-4S/740 II DM11 48/60S	4000 K	70	14790 lm
07928100	BGP393 LED240-4S/740 II DM11 D9 48/60S	4000 K	70	20640 lm
07988500	BGP293 LED149-4S/740 II DM50 D9 48/60S	4000 K	70	12900 lm
10024400	BGP293 LED139-4S/740 I DX10 48/60S	4000 K	70	11760 lm
10027500	BGP293 LED149-4S/740 II DM50 D9 48/60S	4000 K	70	12900 lm
10032900	BGP293 LED149-4S/740 I DX10 48/60S	4000 K	70	12600 lm
10042800	BGP293 LED149-4S/740 II DW10 H07RN-F-2X1	4000 K	70	13200 lm
10054100	BGP293 LED139-4S/740 II DM10 48/60S	4000 K	70	12180 lm
10058900	BGP293 LED84-4S/740 II DM50 D9 48/60S	4000 K	70	7392 lm
10060200	BGP293 LED149-4S/740 I DM50 D9 48/60S	4000 K	70	12900 lm
10074900	BGP293 LED109-4S/740 I DM50 D9 48/60S	4000 K	70	9570 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial luminous flux
10165400	BGP293 LED80-4S/740 II DM11 CLO S05Z1Z1-	4000 K	70	6942 lm
10166100	BGP293 LED100-4S/740 II DM11 CLO S05Z1Z1	4000 K	70	8722 lm
10167800	BGP293 LED120-4S/740 II DM11 CLO S05Z1Z1	4000 K	70	10235 lm
10168500	BGP293 LED149-4S/740 II DM11 CLO S05Z1Z1	4000 K	70	12760 lm
10189000	BGP293 LED100-4S/740 II DM11 CLO SRT 48/	4000 K	70	8722 lm
44945200	BGP291 LED39-4S/740 II DM50 48/60S	4000 K	70	3432 lm
05875000	BGP291 LED50-4S/740 I DM11 48/60S	4000 K	70	4450 lm
05887300	BGP291 LED50-4S/740 I DM11 SRT SRB SRG10	4000 K	70	4450 lm
06041800	BGP291 LED8-4S/740 II DM50 D948/60S	4000 K	70	704 lm
06042500	BGP291 LED20-4S/740 II DM50 D9 48/60S	4000 K	70	1740 lm
06043200	BGP291 LED40-4S/740 II DM50 D9 48/60S	4000 K	70	3520 lm
06044900	BGP291 LED50-4S/740 II DM50 D9 48/60S	4000 K	70	4350 lm
06045600	BGP291 LED64-4S/740 II DM50 D9 48/60S	4000 K	70	5504 lm
07907600	BGP291 LED60-4S/740 II DM11 48/60S	4000 K	70	5280 lm
07910600	BGP291 LED45-4S/740 II DM11 48/60S	4000 K	70	4005 lm
07911300	BGP291 LED60-4S/740 II DM11 48/60S	4000 K	70	5280 lm
07912000	BGP291 LED45-4S/740 II DM11 48/60S	4000 K	70	4005 lm
07918200	BGP391 LED64-4S/740 II DM11 D9 48/60S	4000 K	70	5632 lm
10045900	BGP291 LED44-4S/740 I DW50 CLO D9 P1 32/	4000 K	70	3655 lm
10120300	BGP291 LED34-4S/740 II DM11 CLO 48/60S	4000 K	70	2937 lm
10121000	BGP291 LED34-4S/740 II DM11 CLO-DDF1 D18	4000 K	70	2937 lm
10122700	BGP291 LED34-4S/830 II DM11 CLO 48/60S	3000 K	80	2937 lm
10123400	BGP291 LED34-4S/830 II DM11 CLO-DDF1 D18	3000 K	80	2937 lm

Order Code	Full Product Name	Init. Corr. Color Temperature	Init. Color Rendering Index	Initial luminous flux
10124100	BGP291 LED44-4S/740 II DM11 CLO 48/60S	4000 K	70	3827 lm
10125800	BGP291 LED44-4S/740 II DM11 CLO-DDF1 D18	4000 K	70	3827 lm
10126500	BGP291 LED44-4S/830 II DM11 CLO 48/60S	3000 K	80	3738 lm
10127200	BGP291 LED44-4S/830 II DM11 CLO-DDF1 D18	3000 K	80	3738 lm
10128900	BGP291 LED51-4S/740 II DM11 CLO 48/60S	4000 K	70	4361 lm
10129600	BGP291 LED51-4S/740 II DM11 CLO-DDF1 D18	4000 K	70	4361 lm
10162300	BGP291 LED20-4S/740 II DM11 CLO S05Z1Z1-	4000 K	70	1691 lm
10173900	BGP291 LED25-4S/830 II DM11 CLO S05Z1Z1-	3000 K	80	2136 lm
10174600	BGP291 LED35-4S/740 II DM11 CLO S05Z1Z1-	4000 K	70	3026 lm
10176000	BGP291 LED45-4S/740 II DM11 CLO S05Z1Z1-	4000 K	70	3916 lm
10187600	BGP291 LED45-4S/740 II DM11 CLO SRT 48/6	4000 K	70	3916 lm
10188300	BGP291 LED54-4S/740 II DM11 CLO SRT 48/6	4000 K	70	4628 lm
10191300	BGP291 LED20-4S/830 II DM11 CLO S05Z1Z1-	3000 K	80	1735.5 lm
10192000	BGP291 LED25-4S/740 II DM11 CLO S05Z1Z1-	4000 K	70	2136 lm
10195100	BGP291 LED35-4S/830 II DM11 CLO S05Z1Z1-	3000 K	80	3026 lm
10196800	BGP291 LED45-4S/830 II DM11 CLO S05Z1Z1-	3000 K	80	3827 lm
12558200	BGP291 LED45-4S/740 II DX10 D11 H07RN-F-	4000 K	70	3825 lm
12559900	BGP291 LED60-4S/740 II DX10 BL1 D11 H07R	4000 K	70	5040 lm
12562900	BGP291 LED25-4S/740 II DM11 48/76S POLE	4000 K	70	2275 lm
12563600	BGP291 LED35-4S/740 II DM11 48/76S POLE	4000 K	70	3115 lm
05878100	BGP294 LED340-4S/740 I DM11 48/60S PLS	4000 K	70	29240 lm
07933500	BGP394 LED340-4S/740 II DM11 D9 48/60S P	4000 K	70	29240 lm

