



# For your everyday lighting jobs, CorePro LED high lumen bulbs provide excellent quality of light

## Corepro Glass High Lumen bulbs

Featuring a classic heritage design, these filament CorePro LED bulbs combine the familiar shapes of classic incandescent bulbs with the benefits of the long-lasting LED technology. A very easy choice for people who are looking for a retrofit LED replacement, these high lumen LED bulbs provide 90% energy savings compared with conventional light bulbs. CorePro LED High Lumen bulbs provide excellent quality of light. Energy-saving LED lighting that offers a lifetime of 15,000 hours to reduce maintenance costs.

### Benefits

- Saves 30% energy compared with standard Philips LED bulbs
- Very long lifetime that reduces the need for replacements
- Easy retrofit replacement for conventional lamps

### Features

- Heritage design
- High lumen output
- High efficiency
- Long lifetime
- Easy installation

# Corepro Glass High Lumen bulbs

## Application

- Home
- Warehouses


## Versions



LEDbulb E27 A67





LEDclassic A67 E27 CL-POS2A



LEDclassic A67 E27 CL 1-POS2A

## Dimensional drawing




Product	D	C
CorePro LEDBulbND 120W E27 A67 827 CL G	70 mm	121 mm
CorePro LEDBulbND 120W E27 A67 827 FR G	70 mm	121 mm
CorePro LEDBulbND 120W E27 A67 840 CL G	70 mm	121 mm
CorePro LEDBulbND 120W E27 A67 840 FR G	70 mm	121 mm
CorePro LEDBulbND 120W E27 A67 865 FR G	70 mm	121 mm
CorePro LEDBulbND 150W E27 A67 827 FR G	70 mm	121 mm
CorePro LEDBulbND 150W E27 A67 840 CL G	70 mm	121 mm
CorePro LEDBulbND 150W E27 A67 840 FR G	70 mm	121 mm
CorePro LEDBulbND 150W E27 A67 865 FR G	70 mm	121 mm

Product	D	C
CorePro LEDBulbND17-150W E27 A67 827 CLG	70 mm	128 mm

# Corepro Glass High Lumen bulbs

## Dimensional drawing



Product	D	C
CorePro LEDBulbND 200W E27 A95 827 FR G	95 mm	165 mm
CorePro LEDBulbND 200W E27 A95 840 FR G	95 mm	165 mm
CorePro LEDBulbND 200W E27 A95 865 FR G	95 mm	165 mm

General Information	
Cap-Base	E27
Light Technical	
LLMF At End Of Nominal Lifetime (Nom)	70 %
Operating and Electrical	
Input Frequency	50 to 60 Hz
Voltage (Nom)	220-240 V
Starting Time (Nom)	0.5 s
Controls and Dimming	
Dimmable	No

## Light Technical

Order Code	Full Product Name	Correlated Color Temperature (Nom)
34657400	CorePro LEDBulbND 120W E27 A67 865 FR G	6500 K
34661100	CorePro LEDBulbND 150W E27 A67 827 FR G	2700 K
34663500	CorePro LEDBulbND 150W E27 A67 840 FR G	4000 K
34665900	CorePro LEDBulbND 150W E27 A67 865 FR G	6500 K
34667300	CorePro LEDBulbND 200W E27 A95 827 FR G	2700 K
34669700	CorePro LEDBulbND 200W E27 A95 840 FR G	4000 K
34671000	CorePro LEDBulbND 200W E27 A95 865 FR G	6500 K

Order Code	Full Product Name	Correlated Color Temperature (Nom)
34653600	CorePro LEDBulbND 120W E27 A67 827 FR G	2700 K
34655000	CorePro LEDBulbND 120W E27 A67 840 FR G	4000 K
34744100	CorePro LEDBulbND17-150W E27 A67 827 CLG	2700 K
34649900	CorePro LEDBulbND 120W E27 A67 827 CL G	2700 K
34651200	CorePro LEDBulbND 120W E27 A67 840 CL G	4000 K
34659800	CorePro LEDBulbND 150W E27 A67 840 CL G	4000 K

## Temperature

Order Code	Full Product Name	T-Case Maximum (Nom)
34657400	CorePro LEDBulbND 120W E27 A67 865 FR G	60 °C
34661100	CorePro LEDBulbND 150W E27 A67 827 FR G	60 °C
34663500	CorePro LEDBulbND 150W E27 A67 840 FR G	60 °C
34665900	CorePro LEDBulbND 150W E27 A67 865 FR G	60 °C
34667300	CorePro LEDBulbND 200W E27 A95 827 FR G	55 °C
34669700	CorePro LEDBulbND 200W E27 A95 840 FR G	55 °C
34671000	CorePro LEDBulbND 200W E27 A95 865 FR G	55 °C

Order Code	Full Product Name	T-Case Maximum (Nom)
34653600	CorePro LEDBulbND 120W E27 A67 827 FR G	60 °C
34655000	CorePro LEDBulbND 120W E27 A67 840 FR G	60 °C
34744100	CorePro LEDBulbND17-150W E27 A67 827 CLG	60 °C
34649900	CorePro LEDBulbND 120W E27 A67 827 CL G	60 °C
34651200	CorePro LEDBulbND 120W E27 A67 840 CL G	60 °C
34659800	CorePro LEDBulbND 150W E27 A67 840 CL G	60 °C

## Mechanical and Housing

# Corepro Glass High Lumen bulbs

Order Code	Full Product Name	Bulb Finish	Bulb Shape
34657400	CorePro LEDBulbND 120W E27 A67 865 FR G	Frosted	A67
34661100	CorePro LEDBulbND 150W E27 A67 827 FR G	Frosted	A67
34663500	CorePro LEDBulbND 150W E27 A67 840 FR G	Frosted	A67
34665900	CorePro LEDBulbND 150W E27 A67 865 FR G	Frosted	A67
34667300	CorePro LEDBulbND 200W E27 A95 827 FR G	Frosted	A95
34669700	CorePro LEDBulbND 200W E27 A95 840 FR G	Frosted	A95
34671000	CorePro LEDBulbND 200W E27 A95 865 FR G	Frosted	A95

Order Code	Full Product Name	Bulb Finish	Bulb Shape
34653600	CorePro LEDBulbND 120W E27 A67 827 FR G	Frosted	A67
34655000	CorePro LEDBulbND 120W E27 A67 840 FR G	Frosted	A67
34744100	CorePro LEDBulbND17-150W E27 A67 827 CLG	Clear	A67
34649900	CorePro LEDBulbND 120W E27 A67 827 CL G	Clear	A67
34651200	CorePro LEDBulbND 120W E27 A67 840 CL G	Clear	A67
34659800	CorePro LEDBulbND 150W E27 A67 840 CL G	Clear	A67

## Approval and Application

Order Code	Full Product Name	Energy Consumption kWh/1000 h
34657400	CorePro LEDBulbND 120W E27 A67 865 FR G	13 kWh
34661100	CorePro LEDBulbND 150W E27 A67 827 FR G	18 kWh
34663500	CorePro LEDBulbND 150W E27 A67 840 FR G	18 kWh
34665900	CorePro LEDBulbND 150W E27 A67 865 FR G	18 kWh
34667300	CorePro LEDBulbND 200W E27 A95 827 FR G	23 kWh
34669700	CorePro LEDBulbND 200W E27 A95 840 FR G	23 kWh
34671000	CorePro LEDBulbND 200W E27 A95 865 FR G	23 kWh
34653600	CorePro LEDBulbND 120W E27 A67 827 FR G	13 kWh
34655000	CorePro LEDBulbND 120W E27 A67 840 FR G	13 kWh
34744100	CorePro LEDBulbND17-150W E27 A67 827 CLG	17 kWh
34649900	CorePro LEDBulbND 120W E27 A67 827 CL G	13 kWh
34651200	CorePro LEDBulbND 120W E27 A67 840 CL G	13 kWh
34659800	CorePro LEDBulbND 150W E27 A67 840 CL G	17 kWh

