



ComboCC Gen 4.0

ZJS403 CCC 600 12V/24V HYC 150W RS

Combo CC Gen 4.0 is most comprehensive range of solar charge controllers suitable for solar lighting in major, intermediate and minor roads in off-grid and hybrid applications. High system efficacy, optimized design and long life ensures lower cost of ownership. Configurable and easy to operate with remote monitoring and control ready.

Product data

General information	
Driver included	Yes
Control interface	RS-485
CE mark	CE mark
Warranty period	3 years
EU RoHS compliant	Yes
Operating and electrical	
Input Voltage	220 V
Input Frequency	50 Hz
Battery type	Multiple
Charge controller type	MPPT
Charge controller wattage	150 W
Controls and dimming	
Dimmable	Wireless Dim
Mechanical and housing	
Overall length	302.5 mm
Overall width	94 mm
Overall height	79.5 mm


Approval and application	
Ingress protection code	IP67 [Dust penetration-protected, watertight]
Initial performance (IEC compliant)	
Initial LED luminaire efficacy	160 lm/W
Application conditions	
Ambient temperature range	-20 to +60 °C
Grid connection type	Hybrid
Product data	
Full product code	911401822802
Order product name	ZJS403 CCC 600 12V/24V HYC 150W RS
Order code	01822802
Numerator - Quantity Per Pack	1
Numerator - Packs per outer box	4
Material Nr. (12NC)	911401822802
Net Weight (Piece)	2.500 kg

ComboCC Gen 4.0

Dimensional drawing

Mechanical Drawing with Hybrid PSU

Dimensions : 302.5*94*79.5
Installation hole diameter (mm) $\varnothing 3$



ZJS403 CCC 600 12V/24V HYC 150W RS

