



Excellent quality of light with high efficiency

Pacific LED gen4

PacificLED gen4 is a highly efficient and reliable LED waterproof luminaire that offers an excellent quality of light, with a uniform light distribution without visible striping or color artefacts. The range offers modular construction to enable ease of upgrade and maintenance. The new optical system provides distortion-free lighting with improved visual guidance, which makes it ideally suited to general industry, warehouses and parking areas. The range also offers the option of multiple optics to ensure an optimized lighting scheme for a wide range of applications. For industrial applications, PacificLED gen4 offers an open product architecture with toolless access to the gear tray and an innovative end-cap design with built-in connector for fast and easy installation. The single-piece mounting clamp ensures no small, loose components which could affect the primary production process.

Benefits

- High-quality optics with a nice uniform light distribution without visible striping or color artefacts for improved visual guidance
- Wide variety of beam shapes for an optimized lighting scheme for a wide range of applications
- Hassle-free installation and maintenance, with toolless access to the gear tray and an end-cap with built-in connectors

Features

- Wide range of optics (narrow, wide, very-wide and opalized) and lumen packages with excellent glare control.
- Highly efficient performance, 140 lm/W
- IP66 – dust penetration-protected, jet-proof
- GreenParking system increases energy efficiency by automatic dimming
- Lifetime up to 100,000 hours at L70B50, ensuring a longer service life

Pacific LED gen4

Application

- Industrial areas
- Warehouses/distribution centers
- Parking garages
- Cold storage facilities

Versions



PACIFIC LED WATERPROOF



PACIFIC LED CIRCULAR ECONOMY

Product details



PacificLED_Gen4-WT470C-DP02.jpg



PacificLED_Gen4-WT470C-DP01.jpg



PacificLED gen4 WT470C bracket



PacificLED_Gen4-WT480C-DP02.jpg

Pacific LED gen4

Product details



PacificLED_Gen4-WT480C-
DP01.jpg

Accessories



IPAC WT470Z CH

Ordercode 04121400

Application Conditions

Suitable for random switching Not applicable

Approval and Application

Mech. impact protection code IK08

Ingress protection code IP66

Operating and Electrical

Input Voltage 220-240 V

General Information

Beam angle of light source 120 °

CE mark CE mark

Protection class IEC Safety class I (I)

Driver included Yes

ENEC mark ENEC mark

Flammability mark D

Glow-wire test 850/5

Light source replaceable Yes

Number of gear units 1 unit

Initial Performance (IEC Compliant)

Initial chromaticity (0.38, 0.38) SDCM
<3

Init. Color Rendering Index >80

Luminous flux tolerance +/-7%

Mechanical and Housing

Color White

Application Conditions

Order Code	Full Product Name	Ambient temperature range	Maximum dim level
37914100	WT470C LED23S/840 PSU WB L1300	-25 to +45 °C	-
37915800	WT470C LED23S/840 PSU WB L700	-25 to +45 °C	-
37916500	WT470C LED23S/840 PSU WB TC L1300	-25 to +45 °C	-
37920200	WT470C LED23S/840 PSU WB TW1 L1300	-25 to +45 °C	-
37921900	WT470C LED23S/840 PSU WB TC L700	-25 to +45 °C	-
37922600	WT470C LED23S/840 PSU WB ELP3 L1300	0 to +35 °C	-
37923300	WT470C LED23S/840 PSD WB L1300	-25 to +45 °C	1%
37924000	WT470C LED23S/840 PSD WB L700	-25 to +45 °C	1%
37927100	WT470C LED35S/840 PSU WB TC L1600	-25 to +45 °C	-
37928800	WT470C LED35S/840 PSU WB L1600	-25 to +45 °C	-
37930100	WT470C LED35S/865 PSU O TW3 L1600	-25 to +45 °C	-
37931800	WT470C LED35S/840 PSU VWB L1600	-25 to +45 °C	-
37934900	WT470C LED35S/840 PSU WB TW1 L1600	-25 to +45 °C	-
37935600	WT470C LED35S/840 PSD WB L1600	-25 to +45 °C	1%
37938700	WT470C LED35S/840 PSD VWB L1600	-25 to +45 °C	1%
37939400	WT470C LED35S/840 PSD WB TC5 L1600	-25 to +45 °C	1%
37940000	WT470C LED35S/840 PSD O L1600	-25 to +45 °C	1%
37941700	WT470C LED42S/840 PSU WB L1300	-25 to +45 °C	-
37942400	WT470C LED42S/840 PSU WB TW3 L1300	-25 to +45 °C	-
37943100	WT470C LED42S/840 PSU VWB L1300	-25 to +45 °C	-
37944800	WT470C LED42S/840 PSU O L1300	-25 to +45 °C	-
37945500	WT470C LED42S/840 PSU NB L1300	-25 to +45 °C	-
37946200	WT470C LED42S/840 PSU WB TW1 L1300	-25 to +45 °C	-
37947900	WT470C LED42S/840 PSU WB TC L1300	-25 to +45 °C	-
37948600	WT470C LED42S/840 PSU O TC L1300	-25 to +45 °C	-
37949300	WT470C LED42S/840 PSD WB L1300	-25 to +45 °C	1%
37950900	WT470C LED42S/840 PSD WB TW1 L1300	-25 to +45 °C	1%
37951600	WT470C LED42S/840 PSD VWB L1300	-25 to +45 °C	1%
37952300	WT470C LED42S/840 PSD WB TC5 L1300	-25 to +45 °C	1%
37954700	WT470C LED64S/840 PSU WB L1600	-25 to +45 °C	-
37955400	WT470C LED64S/840 PSU NB L1600	-25 to +45 °C	-
37956100	WT470C LED64S/840 PSU WB TW3 L1600	-25 to +45 °C	-
37957800	WT470C LED64S/840 PSU VWB L1600	-25 to +45 °C	-
37958500	WT470C LED64S/840 PSU NB TW3 L1600	-25 to +45 °C	-
37959200	WT470C LED64S/840 PSU WB TC L1600	-25 to +45 °C	-
37960800	WT470C LED64S/840 PSU WB TW1 L1600	-25 to +45 °C	-
37961500	WT470C LED64S/840 PSU VWB TW3 L1600	-25 to +45 °C	-
37962200	WT470C LED64S/840 PSU VWB TC L1600	-25 to +45 °C	-
37963900	WT470C LED64S/840 PSU VWB TW1 L1600	-25 to +45 °C	-
37966000	WT470C LED64S/840 PSU O L1600	-25 to +45 °C	-
37967700	WT470C LED64S/840 PSU NB TC L1600	-25 to +45 °C	-
37968400	WT470C LED64S/840 PSU NB TW1 L1600	-25 to +45 °C	-
37970700	WT470C LED64S/840 PSU VWB ELP3 L1600	0 to +35 °C	-
37972100	WT470C LED64S/840 PSU WB ELP3 TW3 L1600	0 to +35 °C	-
37974500	WT470C LED64S/865 PSU WB ELP3 TW1 L1600	0 to +35 °C	-
37975200	WT470C LED64S/865 PSU WB TW1 L1600	-25 to +45 °C	-
37977600	WT470C LED64S/865 PSU NB TW1 L1600	-25 to +45 °C	-
37978300	WT470C LED64S/840 PSU NB ELP3 L1600	0 to +35 °C	-
37979000	WT470C LED64S/840 PSU WB ELP3 L1600	0 to +35 °C	-
37980600	WT470C LED64S/840 PSU WB ELP3 TW1 L1600	0 to +35 °C	-

Order Code	Full Product Name	Ambient temperature range	Maximum dim level
37981300	WT470C LED64S/840 PSD WB L1600	-25 to +45 °C	1%
37982000	WT470C LED64S/840 PSD WB TW1 L1600	-25 to +45 °C	1%
37983700	WT470C LED64S/840 PSD NB L1600	-25 to +45 °C	1%
37984400	WT470C LED64S/840 PSD VWB L1600	-25 to +45 °C	1%
37985100	WT470C LED64S/840 PSD WB TC5 L1600	-25 to +45 °C	1%
37986800	WT470C LED64S/840 PSD NB TW1 L1600	-25 to +45 °C	1%
37988200	WT470C LED64S/840 PSD O L1600	-25 to +45 °C	1%
37989900	WT470C LED64S/840 PSD VWB TC5 L1600	-25 to +45 °C	1%
37990500	WT470C LED64S/865 PSD WB L1600	-25 to +45 °C	1%
37992900	WT470C LED64S/840 PSD NB ELD3 L1600	0 to +35 °C	1%
37993600	WT470C LED64S/840 PSD WB ELD3 L1600	0 to +35 °C	1%
37994300	WT470C LED64S/840 PSD WB ELD3 TW1 L1600	0 to +35 °C	1%
37995000	WT470C LED80S/865 PSU WB L1600	-25 to +45 °C	-
37996700	WT470C LED80S/840 PSU NB ELP3 T30 L1600	0 to +35 °C	-
37997400	WT470C LED80S/840 PSU WB TW1 L1600	-25 to +45 °C	-
37999800	WT470C LED80S/840 PSD VWB L1600	-25 to +45 °C	1%
38000000	WT470C LED80S/840 PSD O L1600	-25 to +45 °C	1%
38002400	WT471C LED23S/840 PSD VWB L1300	-25 to +45 °C	1%
38003100	WT471C LED42S/840 PSU WB L1300	-25 to +45 °C	-
38004800	WT471C LED42S/840 PSU WB TW3 L1300	-25 to +45 °C	-
38005500	WT471C LED42S/840 PSD WB TW1 L1300	-25 to +45 °C	1%
38006200	WT471C LED64S/840 PSU WB L1600	-25 to +45 °C	-
38007900	WT471C LED64S/840 PSU WB TW3 L1600	-25 to +45 °C	-
38008600	WT471C LED64S/840 PSD WB L1600	-25 to +45 °C	1%
38009300	WT471C LED64S/840 PSD WB TW1 L1600	-25 to +45 °C	1%
38010900	WT471C LED64S/840 PSD NB L1600	-25 to +45 °C	1%
38011600	WT471C LED64S/840 PSD VWB L1600	-25 to +45 °C	1%
38013000	WT471C LED80S/840 PSU WB L1600	-25 to +45 °C	-
38014700	WT471C LED80S/840 PSD WB TW1 L1600	-25 to +45 °C	1%
38015400	WT480C LED64S/840 PSD WB L1600	-30 to +45 °C	1%
38017800	WT480C LED64S/840 PSD NB L1600	-30 to +45 °C	1%
38018500	WT480C LED64S/840 PSD VWB L1600	-30 to +45 °C	1%
38019200	WT480C LED64S/840 PSD WB TC5 L1600	-30 to +45 °C	1%
38022200	WT480C LED64S/840 PSD O L1600	-30 to +45 °C	1%
38023900	WT480C LED64S/840 PSD VWB TC5 L1600	-30 to +45 °C	1%
38025300	WT481C LED64S/840 PSD WB L1600	-30 to +45 °C	1%

Controls and Dimming

Order Code	Full Product Name	Dimmable	Order Code	Full Product Name	Dimmable
37914100	WT470C LED23S/840 PSU WB L1300	No	37931800	WT470C LED35S/840 PSU VWB L1600	No
37915800	WT470C LED23S/840 PSU WB L700	No	37934900	WT470C LED35S/840 PSU WB TW1 L1600	No
37916500	WT470C LED23S/840 PSU WB TC L1300	No	37935600	WT470C LED35S/840 PSD WB L1600	Yes
37920200	WT470C LED23S/840 PSU WB TW1 L1300	No	37938700	WT470C LED35S/840 PSD VWB L1600	Yes
37921900	WT470C LED23S/840 PSU WB TC L700	No	37939400	WT470C LED35S/840 PSD WB TC5 L1600	Yes
37922600	WT470C LED23S/840 PSU WB ELP3 L1300	No	37940000	WT470C LED35S/840 PSD O L1600	Yes
37923300	WT470C LED23S/840 PSD WB L1300	Yes	37941700	WT470C LED42S/840 PSU WB L1300	No
37924000	WT470C LED23S/840 PSD WB L700	Yes	37942400	WT470C LED42S/840 PSU WB TW3 L1300	No
37927100	WT470C LED35S/840 PSU WB TC L1600	No	37943100	WT470C LED42S/840 PSU VWB L1300	No
37928800	WT470C LED35S/840 PSU WB L1600	No	37944800	WT470C LED42S/840 PSU O L1300	No
37930100	WT470C LED35S/865 PSU O TW3 L1600	No	37945500	WT470C LED42S/840 PSU NB L1300	No

Pacific LED gen4

Order Code	Full Product Name	Dimmable
37946200	WT470C LED42S/840 PSU WB TW1 L1300	No
37947900	WT470C LED42S/840 PSU WB TC L1300	No
37948600	WT470C LED42S/840 PSU O TC L1300	No
37949300	WT470C LED42S/840 PSD WB L1300	Yes
37950900	WT470C LED42S/840 PSD WB TW1 L1300	Yes
37951600	WT470C LED42S/840 PSD VWB L1300	Yes
37952300	WT470C LED42S/840 PSD WB TC5 L1300	Yes
37954700	WT470C LED64S/840 PSU WB L1600	No
37955400	WT470C LED64S/840 PSU NB L1600	No
37956100	WT470C LED64S/840 PSU WB TW3 L1600	No
37957800	WT470C LED64S/840 PSU VWB L1600	No
37958500	WT470C LED64S/840 PSU NB TW3 L1600	No
37959200	WT470C LED64S/840 PSU WB TC L1600	No
37960800	WT470C LED64S/840 PSU WB TW1 L1600	No
37961500	WT470C LED64S/840 PSU VWB TW3 L1600	No
37962200	WT470C LED64S/840 PSU VWB TC L1600	No
37963900	WT470C LED64S/840 PSU VWB TW1 L1600	No
37966000	WT470C LED64S/840 PSU O L1600	No
37967700	WT470C LED64S/840 PSU NB TC L1600	No
37968400	WT470C LED64S/840 PSU NB TW1 L1600	No
37970700	WT470C LED64S/840 PSU VWB ELP3 L1600	No
37972100	WT470C LED64S/840 PSU WB ELP3 TW3 L1600	No
37974500	WT470C LED64S/865 PSU WB ELP3 TW1 L1600	No
37975200	WT470C LED64S/865 PSU WB TW1 L1600	No
37977600	WT470C LED64S/865 PSU NB TW1 L1600	No
37978300	WT470C LED64S/840 PSU NB ELP3 L1600	No
37979000	WT470C LED64S/840 PSU WB ELP3 L1600	No
37980600	WT470C LED64S/840 PSU WB ELP3 TW1 L1600	No
37981300	WT470C LED64S/840 PSD WB L1600	Yes
37982000	WT470C LED64S/840 PSD WB TW1 L1600	Yes
37983700	WT470C LED64S/840 PSD NB L1600	Yes
37984400	WT470C LED64S/840 PSD VWB L1600	Yes

Order Code	Full Product Name	Dimmable
37985100	WT470C LED64S/840 PSD WB TC5 L1600	Yes
37986800	WT470C LED64S/840 PSD NB TW1 L1600	Yes
37988200	WT470C LED64S/840 PSD O L1600	Yes
37989900	WT470C LED64S/840 PSD VWB TC5 L1600	Yes
37990500	WT470C LED64S/865 PSD WB L1600	Yes
37992900	WT470C LED64S/840 PSD NB ELD3 L1600	Yes
37993600	WT470C LED64S/840 PSD WB ELD3 L1600	Yes
37994300	WT470C LED64S/840 PSD WB ELD3 TW1 L1600	Yes
37995000	WT470C LED80S/865 PSU WB L1600	No
37996700	WT470C LED80S/840 PSU NB ELP3 T30 L1600	No
37997400	WT470C LED80S/840 PSU WB TW1 L1600	No
37999800	WT470C LED80S/840 PSD VWB L1600	Yes
38000000	WT470C LED80S/840 PSD O L1600	Yes
38002400	WT471C LED23S/840 PSD VWB L1300	Yes
38003100	WT471C LED42S/840 PSU WB L1300	No
38004800	WT471C LED42S/840 PSU WB TW3 L1300	No
38005500	WT471C LED42S/840 PSD WB TW1 L1300	Yes
38006200	WT471C LED64S/840 PSU WB L1600	No
38007900	WT471C LED64S/840 PSU WB TW3 L1600	No
38008600	WT471C LED64S/840 PSD WB L1600	Yes
38009300	WT471C LED64S/840 PSD WB TW1 L1600	Yes
38010900	WT471C LED64S/840 PSD NB L1600	Yes
38011600	WT471C LED64S/840 PSD VWB L1600	Yes
38013000	WT471C LED80S/840 PSU WB L1600	No
38014700	WT471C LED80S/840 PSD WB TW1 L1600	Yes
38015400	WT480C LED64S/840 PSD WB L1600	Yes
38017800	WT480C LED64S/840 PSD NB L1600	Yes
38018500	WT480C LED64S/840 PSD VWB L1600	Yes
38019200	WT480C LED64S/840 PSD WB TC5 L1600	Yes
38022200	WT480C LED64S/840 PSD O L1600	Yes
38023900	WT480C LED64S/840 PSD VWB TC5 L1600	Yes
38025300	WT481C LED64S/840 PSD WB L1600	Yes

General Information

Order Code	Full Product Name	Optic type	Product Family Code
37914100	WT470C LED23S/840 PSU WB L1300	WB	WT470C
37915800	WT470C LED23S/840 PSU WB L700	WB	WT470C
37916500	WT470C LED23S/840 PSU WB TC L1300	WB	WT470C
37920200	WT470C LED23S/840 PSU WB TW1 L1300	WB	WT470C
37921900	WT470C LED23S/840 PSU WB TC L700	WB	WT470C
37922600	WT470C LED23S/840 PSU WB ELP3 L1300	WB	WT470C
37923300	WT470C LED23S/840 PSD WB L1300	WB	WT470C
37924000	WT470C LED23S/840 PSD WB L700	WB	WT470C
37927100	WT470C LED35S/840 PSU WB TC L1600	WB	WT470C
37928800	WT470C LED35S/840 PSU WB L1600	WB	WT470C
37930100	WT470C LED35S/865 PSU O TW3 L1600	White reflector and opal cover	WT470C
37931800	WT470C LED35S/840 PSU VWB L1600	VWB	WT470C
37934900	WT470C LED35S/840 PSU WB TW1 L1600	WB	WT470C

Order Code	Full Product Name	Optic type	Product Family Code
37935600	WT470C LED35S/840 PSD WB L1600	WB	WT470C
37938700	WT470C LED35S/840 PSD VWB L1600	VWB	WT470C
37939400	WT470C LED35S/840 PSD WB TC5 L1600	WB	WT470C
37940000	WT470C LED35S/840 PSD O L1600	White reflector and opal cover	WT470C
37941700	WT470C LED42S/840 PSU WB L1300	WB	WT470C
37942400	WT470C LED42S/840 PSU WB TW3 L1300	WB	WT470C
37943100	WT470C LED42S/840 PSU VWB L1300	VWB	WT470C
37944800	WT470C LED42S/840 PSU O L1300	White reflector and opal cover	WT470C
37945500	WT470C LED42S/840 PSU NB L1300	NB	WT470C
37946200	WT470C LED42S/840 PSU WB TW1 L1300	WB	WT470C
37947900	WT470C LED42S/840 PSU WB TC L1300	WB	WT470C
37948600	WT470C LED42S/840 PSU O TC L1300	White reflector and opal cover	WT470C

Pacific LED gen4

Order Code	Full Product Name	Optic type	Product	
			Family Code	
37949300	WT470C LED42S/840 PSD WB L1300	WB	WT470C	
37950900	WT470C LED42S/840 PSD WB TW1 L1300	WB	WT470C	
37951600	WT470C LED42S/840 PSD VWB L1300	VWB	WT470C	
37952300	WT470C LED42S/840 PSD WB TC5 L1300	WB	WT470C	
37954700	WT470C LED64S/840 PSU WB L1600	WB	WT470C	
37955400	WT470C LED64S/840 PSU NB L1600	NB	WT470C	
37956100	WT470C LED64S/840 PSU WB TW3 L1600	WB	WT470C	
37957800	WT470C LED64S/840 PSU VWB L1600	VWB	WT470C	
37958500	WT470C LED64S/840 PSU NB TW3 L1600	NB	WT470C	
37959200	WT470C LED64S/840 PSU WB TC L1600	WB	WT470C	
37960800	WT470C LED64S/840 PSU WB TW1 L1600	WB	WT470C	
37961500	WT470C LED64S/840 PSU VWB TW3 L1600	VWB	WT470C	
37962200	WT470C LED64S/840 PSU VWB TC L1600	VWB	WT470C	
37963900	WT470C LED64S/840 PSU VWB TW1 L1600	VWB	WT470C	
37966000	WT470C LED64S/840 PSU O L1600	White reflector and opal cover	WT470C	
37967700	WT470C LED64S/840 PSU NB TC L1600	NB	WT470C	
37968400	WT470C LED64S/840 PSU NB TW1 L1600	NB	WT470C	
37970700	WT470C LED64S/840 PSU VWB ELP3 L1600	VWB	WT470C	
37972100	WT470C LED64S/840 PSU WB ELP3 TW3 L1600	WB	WT470C	
37974500	WT470C LED64S/865 PSU WB ELP3 TW1 L1600	WB	WT470C	
37975200	WT470C LED64S/865 PSU WB TW1 L1600	WB	WT470C	
37977600	WT470C LED64S/865 PSU NB TW1 L1600	NB	WT470C	
37978300	WT470C LED64S/840 PSU NB ELP3 L1600	NB	WT470C	
37979000	WT470C LED64S/840 PSU WB ELP3 L1600	WB	WT470C	
37980600	WT470C LED64S/840 PSU WB ELP3 TW1 L1600	WB	WT470C	
37981300	WT470C LED64S/840 PSD WB L1600	WB	WT470C	
37982000	WT470C LED64S/840 PSD WB TW1 L1600	WB	WT470C	
37983700	WT470C LED64S/840 PSD NB L1600	NB	WT470C	
37984400	WT470C LED64S/840 PSD VWB L1600	VWB	WT470C	
37985100	WT470C LED64S/840 PSD WB TC5 L1600	WB	WT470C	
37986800	WT470C LED64S/840 PSD NB TW1 L1600	NB	WT470C	

Order Code	Full Product Name	Optic type	Product	
			Family Code	
37988200	WT470C LED64S/840 PSD O L1600	White reflector and opal cover	WT470C	
37989900	WT470C LED64S/840 PSD VWB TC5 L1600	VWB	WT470C	
37990500	WT470C LED64S/865 PSD WB L1600	WB	WT470C	
37992900	WT470C LED64S/840 PSD NB ELD3 L1600	NB	WT470C	
37993600	WT470C LED64S/840 PSD WB ELD3 L1600	WB	WT470C	
37994300	WT470C LED64S/840 PSD WB ELD3 TW1 L1600	WB	WT470C	
37995000	WT470C LED80S/865 PSU WB L1600	WB	WT470C	
37996700	WT470C LED80S/840 PSU NB ELP3 T30 L1600	NB	WT470C	
37997400	WT470C LED80S/840 PSU WB TW1 L1600	WB	WT470C	
37999800	WT470C LED80S/840 PSD VWB L1600	VWB	WT470C	
38000000	WT470C LED80S/840 PSD O L1600	White reflector and opal cover	WT470C	
38002400	WT471C LED23S/840 PSD VWB L1300	VWB	WT471C	
38003100	WT471C LED42S/840 PSU WB L1300	WB	WT471C	
38004800	WT471C LED42S/840 PSU WB TW3 L1300	WB	WT471C	
38005500	WT471C LED42S/840 PSD WB TW1 L1300	WB	WT471C	
38006200	WT471C LED64S/840 PSU WB L1600	WB	WT471C	
38007900	WT471C LED64S/840 PSU WB TW3 L1600	WB	WT471C	
38008600	WT471C LED64S/840 PSD WB L1600	WB	WT471C	
38009300	WT471C LED64S/840 PSD WB TW1 L1600	WB	WT471C	
38010900	WT471C LED64S/840 PSD NB L1600	NB	WT471C	
38011600	WT471C LED64S/840 PSD VWB L1600	VWB	WT471C	
38013000	WT471C LED80S/840 PSU WB L1600	WB	WT471C	
38014700	WT471C LED80S/840 PSD WB TW1 L1600	WB	WT471C	
38015400	WT480C LED64S/840 PSD WB L1600	WB	WT480C	
38017800	WT480C LED64S/840 PSD NB L1600	NB	WT480C	
38018500	WT480C LED64S/840 PSD VWB L1600	VWB	WT480C	
38019200	WT480C LED64S/840 PSD WB TC5 L1600	WB	WT480C	
38022200	WT480C LED64S/840 PSD O L1600	White reflector and opal cover	WT480C	
38023900	WT480C LED64S/840 PSD VWB TC5 L1600	VWB	WT480C	
38025300	WT481C LED64S/840 PSD WB L1600	WB	WT481C	

Initial Performance (IEC Compliant)

Order Code	Full Product Name	Init. Corr. Color Temperature	Initial LED	Initial	Initial
			luminaire efficacy	luminous flux	input power
37914100	WT470C LED23S/840 PSU WB L1300	4000 K	140 lm/W	2300 lm	16.4 W
37915800	WT470C LED23S/840 PSU WB L700	4000 K	140 lm/W	2300 lm	16.4 W

Order Code	Full Product Name	Init. Corr. Color Temperature	Initial LED	Initial	Initial
			luminaire efficacy	luminous flux	input power
37916500	WT470C LED23S/840 PSU WB TC L1300	4000 K	140 lm/W	2300 lm	16.4 W
37920200	WT470C LED23S/840 PSU WB TW1 L1300	4000 K	140 lm/W	2300 lm	16.4 W

Pacific LED gen4

Order Code	Full Product Name	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux	Initial input power
37921900	WT470C LED23S/840 PSU WB TC L700	4000 K	140 lm/W	2300 lm	16.4 W
37922600	WT470C LED23S/840 PSU WB ELP3 L1300	4000 K	143 lm/W	2358 lm	20.4 W
37923300	WT470C LED23S/840 PSD WB L1300	4000 K	140 lm/W	2300 lm	16.4 W
37924000	WT470C LED23S/840 PSD WB L700	4000 K	140 lm/W	2300 lm	16.4 W
37927100	WT470C LED35S/840 PSU WB TC L1600	4000 K	143 lm/W	3500 lm	24.5 W
37928800	WT470C LED35S/840 PSU WB L1600	4000 K	147 lm/W	3600 lm	24.5 W
37930100	WT470C LED35S/865 PSU O TW3 L1600	6500 K	139 lm/W	3400 lm	24.5 W
37931800	WT470C LED35S/840 PSU VWB L1600	4000 K	143 lm/W	3500 lm	24.5 W
37934900	WT470C LED35S/840 PSU WB TW1 L1600	4000 K	147 lm/W	3600 lm	24.5 W
37935600	WT470C LED35S/840 PSD WB L1600	4000 K	147 lm/W	3600 lm	24.5 W
37938700	WT470C LED35S/840 PSD VWB L1600	4000 K	143 lm/W	3500 lm	24.5 W
37939400	WT470C LED35S/840 PSD WB TC5 L1600	4000 K	147 lm/W	3600 lm	24.5 W
37940000	WT470C LED35S/840 PSD O L1600	4000 K	139 lm/W	3400 lm	24.5 W
37941700	WT470C LED42S/840 PSU WB L1300	4000 K	141 lm/W	4300 lm	30.5 W
37942400	WT470C LED42S/840 PSU WB TW3 L1300	4000 K	141 lm/W	4300 lm	30.5 W
37943100	WT470C LED42S/840 PSU VWB L1300	4000 K	138 lm/W	4200 lm	30.5 W

Order Code	Full Product Name	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux	Initial input power
37944800	WT470C LED42S/840 PSU O L1300	4000 K	131 lm/W	4000 lm	30.5 W
37945500	WT470C LED42S/840 PSU NB L1300	4000 K	141 lm/W	4300 lm	30.5 W
37946200	WT470C LED42S/840 PSU WB TW1 L1300	4000 K	141 lm/W	4300 lm	30.5 W
37947900	WT470C LED42S/840 PSU WB TC L1300	4000 K	141 lm/W	4300 lm	30.5 W
37948600	WT470C LED42S/840 PSU O TC L1300	4000 K	131 lm/W	4000 lm	30.5 W
37949300	WT470C LED42S/840 PSD WB L1300	4000 K	141 lm/W	4300 lm	30.5 W
37950900	WT470C LED42S/840 PSD WB TW1 L1300	4000 K	141 lm/W	4300 lm	30.5 W
37951600	WT470C LED42S/840 PSD VWB L1300	4000 K	138 lm/W	4200 lm	30.5 W
37952300	WT470C LED42S/840 PSD WB TC5 L1300	4000 K	141 lm/W	4300 lm	30.5 W
37954700	WT470C LED64S/840 PSU WB L1600	4000 K	140 lm/W	6500 lm	46.5 W
37955400	WT470C LED64S/840 PSU NB L1600	4000 K	142 lm/W	6600 lm	46.5 W
37956100	WT470C LED64S/840 PSU WB TW3 L1600	4000 K	140 lm/W	6500 lm	46.5 W
37957800	WT470C LED64S/840 PSU VWB L1600	4000 K	138 lm/W	6400 lm	46.5 W
37958500	WT470C LED64S/840 PSU NB TW3 L1600	4000 K	142 lm/W	6600 lm	46.5 W
37959200	WT470C LED64S/840 PSU WB TC L1600	4000 K	140 lm/W	6500 lm	46.5 W
37960800	WT470C LED64S/840 PSU WB TW1 L1600	4000 K	140 lm/W	6500 lm	46.5 W

Pacific LED gen4

Order Code	Full Product Name	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux	Initial input power
37961500	WT470C LED64S/840 PSU VWB TW3 L1600	4000 K	140 lm/W	6500 lm	46.5 W
37962200	WT470C LED64S/840 PSU VWB TC L1600	4000 K	138 lm/W	6400 lm	46.5 W
37963900	WT470C LED64S/840 PSU VWB TW1 L1600	4000 K	138 lm/W	6400 lm	46.5 W
37966000	WT470C LED64S/840 PSU O L1600	4000 K	131 lm/W	6100 lm	46.5 W
37967700	WT470C LED64S/840 PSU NB TC L1600	4000 K	142 lm/W	6600 lm	46.5 W
37968400	WT470C LED64S/840 PSU NB TW1 L1600	4000 K	142 lm/W	6600 lm	46.5 W
37970700	WT470C LED64S/840 PSU VWB ELP3 L1600	4000 K	127 lm/W	6400 lm	50.5 W
37972100	WT470C LED64S/840 PSU WB ELP3 TW3 L1600	4000 K	129 lm/W	6500 lm	50.5 W
37974500	WT470C LED64S/865 PSU WB ELP3 TW1 L1600	6500 K	129 lm/W	6500 lm	50.5 W
37975200	WT470C LED64S/865 PSU WB TW1 L1600	6500 K	140 lm/W	6500 lm	46.5 W
37977600	WT470C LED64S/865 PSU NB TW1 L1600	6500 K	142 lm/W	6600 lm	46.5 W
37978300	WT470C LED64S/840 PSU NB ELP3 L1600	4000 K	131 lm/W	6600 lm	50.5 W
37979000	WT470C LED64S/840 PSU WB ELP3 L1600	4000 K	129 lm/W	6500 lm	50.5 W
37980600	WT470C LED64S/840 PSU WB ELP3 TW1 L1600	4000 K	129 lm/W	6500 lm	50.5 W
37981300	WT470C LED64S/840 PSD WB L1600	4000 K	140 lm/W	6500 lm	46.5 W

Order Code	Full Product Name	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux	Initial input power
37982000	WT470C LED64S/840 PSD WB TW1 L1600	4000 K	140 lm/W	6500 lm	46.5 W
37983700	WT470C LED64S/840 PSD NB L1600	4000 K	142 lm/W	6600 lm	46.5 W
37984400	WT470C LED64S/840 PSD VWB L1600	4000 K	138 lm/W	6400 lm	46.5 W
37985100	WT470C LED64S/840 PSD WB TC5 L1600	4000 K	140 lm/W	6500 lm	46.5 W
37986800	WT470C LED64S/840 PSD NB TW1 L1600	4000 K	142 lm/W	6600 lm	46.5 W
37988200	WT470C LED64S/840 PSD O L1600	4000 K	131 lm/W	6100 lm	46.5 W
37989900	WT470C LED64S/840 PSD VWB TC5 L1600	4000 K	140 lm/W	6500 lm	46.5 W
37990500	WT470C LED64S/865 PSD WB L1600	6500 K	140 lm/W	6500 lm	46.5 W
37992900	WT470C LED64S/840 PSD NB ELD3 L1600	4000 K	131 lm/W	6600 lm	50.5 W
37993600	WT470C LED64S/840 PSD WB ELD3 L1600	4000 K	129 lm/W	6500 lm	50.5 W
37994300	WT470C LED64S/840 PSD WB ELD3 TW1 L1600	4000 K	129 lm/W	6500 lm	50.5 W
37995000	WT470C LED80S/865 PSU WB L1600	6500 K	138 lm/W	8000 lm	58 W
37996700	WT470C LED80S/840 PSU NB ELP3 T30 L1600	4000 K	131 lm/W	8100 lm	62 W
37997400	WT470C LED80S/840 PSU WB TW1 L1600	4000 K	138 lm/W	8000 lm	58 W
37999800	WT470C LED80S/840 PSD VWB L1600	4000 K	138 lm/W	8000 lm	58 W
38000000	WT470C LED80S/840 PSD O L1600	4000 K	129 lm/W	7500 lm	58 W

Pacific LED gen4

Order Code	Full Product Name	Init. Corr. Color Temperature	Initial LED luminaire efficacy	Initial luminous flux	Initial input power
38002400	WT471C LED23S/840 PSD VWB L1300	4000 K	140 lm/W	2300 lm	16.4 W
38003100	WT471C LED42S/840 PSU WB L1300	4000 K	141 lm/W	4300 lm	30.5 W
38004800	WT471C LED42S/840 PSU WB TW3 L1300	4000 K	141 lm/W	4300 lm	30.5 W
38005500	WT471C LED42S/840 PSD WB TW1 L1300	4000 K	141 lm/W	4300 lm	30.5 W
38006200	WT471C LED64S/840 PSU WB L1600	4000 K	140 lm/W	6500 lm	46.5 W
38007900	WT471C LED64S/840 PSU WB TW3 L1600	4000 K	140 lm/W	6500 lm	46.5 W
38008600	WT471C LED64S/840 PSD WB L1600	4000 K	140 lm/W	6500 lm	46.5 W
38009300	WT471C LED64S/840 PSD WB TW1 L1600	4000 K	140 lm/W	6500 lm	46.5 W
38010900	WT471C LED64S/840 PSD NB L1600	4000 K	142 lm/W	6600 lm	46.5 W
38011600	WT471C LED64S/840 PSD VWB L1600	4000 K	138 lm/W	6400 lm	46.5 W
38013000	WT471C LED80S/840 PSU WB L1600	4000 K	138 lm/W	8000 lm	58 W
38014700	WT471C LED80S/840 PSD WB TW1 L1600	4000 K	138 lm/W	8000 lm	58 W
38015400	WT480C LED64S/840 PSD WB L1600	4000 K	140 lm/W	6500 lm	46.5 W
38017800	WT480C LED64S/840 PSD NB L1600	4000 K	142 lm/W	6600 lm	46.5 W
38018500	WT480C LED64S/840 PSD VWB L1600	4000 K	138 lm/W	6400 lm	46.5 W
38019200	WT480C LED64S/840 PSD WB TC5 L1600	4000 K	140 lm/W	6500 lm	46.5 W
38022200	WT480C LED64S/840 PSD O L1600	4000 K	131 lm/W	6100 lm	46.5 W
38023900	WT480C LED64S/840 PSD VWB TC5 L1600	4000 K	138 lm/W	6400 lm	46.5 W
38025300	WT481C LED64S/840 PSD WB L1600	4000 K	140 lm/W	6500 lm	46.5 W

